Attachment 'G'

Index to Drawings

CIVIL

LANDSCAPE

STRUCTURAL

ARCHITECTURAL

A1.1	SITE PLAN
A1.2	ENLARGED SITE PLANS
A1.3	SITE DETAILS
A1.4	SITE DETAILS
A2.1	LIFE SAFETY PLAN
A3.1.0	ENLARGED LIFE SAFETY PLANS
A3.1.1	OCCUPANCY LOADING PLAN
A3.1.2	SECURITY PROVISIONS PLAN
A3.1.3	SPECIAL LOCKING PLAN
A3.3	PARTITION DETAILS
A4.1	COMPOSITE FLOOR PLAN
A4.1A	PARTIAL FLOOR PLAN - AREA 'A'
A4.1A.1	ENLARGED FLOOR PLAN - AREA 'A1'
A4.1A.2	ENLARGED FLOOR PLAN - AREA 'A2'
A4.1B	PARTIAL FLOOR PLAN - AREA 'B'
A4.1B.1	ENLARGED FLOOR PLAN - AREA 'B1'
A4.1B.2	ENLARGED FLOOR PLAN - AREA 'B2'
A4.1C	PARTIAL FLOOR PLAN - AREA 'C'
A4.1C.1	ENLARGED FLOOR PLAN - AREA 'C1'
A4.1C.2	ENLARGED FLOOR PLAN - AREA 'C2'
A4.1C.3	ENLARGED FLOOR PLAN - AREA 'C3'
A4.1D	PARTIAL FLOOR PLAN - AREA 'D'
A4.1D.1	ENLARGED FLOOR PLAN - AREA 'D1'
A4.1D.2	ENLARGED FLOOR PLAN - AREA 'D2'
A4.1D.3	ENLARGED FLOOR PLAN - AREA 'D3'
A4.1E	PARTIAL FLOOR PLAN - AREA 'E'
A4.1E.1	ENLARGED FLOOR PLAN - AREA 'E1'
A4.1E.2	ENLARGED FLOOR PLAN - AREA 'E2'
A4.2	ENLARGED FLOOR PLANS
A4.3	ENLARGED FLOOR PLANS
A4.8	PLAN DETAILS
A4.9	PLAN DETAILS
A6.1	COMPOSITE CEILING PLAN
A6.1.A.1	ENLARGED CEILING PLAN - AREA 'A1'
A6.1.A.2	ENLARGED CEILING PLAN - AREA 'A2'
A6.1.A.3	ENLARGED CEILING PLAN - AREA 'A3'
A6.1.B.1	ENLARGED CEILING PLAN - AREA 'B1'
A6.1.B.2	ENLARGED CEILING PLAN - AREA 'B2'
A6.1.C.1	ENLARGED CEILING PLAN - AREA 'C1'
A6.1.C.2	ENLARGED CEILING PLAN - AREA 'C2'
A6.1.C.3	ENLARGED CEILING PLAN - AREA 'C3'
A6.1.D.1	ENLARGED CEILING PLAN - AREA 'D1'
A6.1.D.2	ENLARGED CEILING PLAN - AREA 'D2'
A6.1.D.3	ENLARGED CEILING PLAN - AREA 'D3'
A6.1.E.1	ENLARGED CEILING PLAN - AREA 'E1'
A6.1.E.2	ENLARGED CEILING PLAN - AREA 'E2'
A6.3	CEILING DETAILS
A6.4.A.1	ACOUSTICAL PANEL CEILING PLAN - AREA 'A1'
A6.4.A.2	ACOUSTICAL PANEL CEILING PLAN - AREA 'A2'
A6.4.C.3	ACOUSTICAL PANEL CEILING PLAN - AREA 'C3'
A6.4.C.3	ACOUSTICAL PANEL CEILING PLAN - AREA 'C3'
A6.4.D.1	ACOUSTICAL PANEL CEILING PLAN - AREA 'D1'
A6.4.D.2	ACOUSTICAL PANEL CEILING PLAN - AREA 'D2'
A6.4.D.3	ACOUSTICAL PANEL CEILING PLAN - AREA 'D3'
A6.5	ROOF PLAN
A7.1	EXTERIOR ELEVATIONS
A7.2	EXTERIOR ELEVATIONS
A7.3	EXTERIOR ELEVATIONS
A7.4	EXTERIOR ELEVATIONS
A8.1	WALL SECTIONS
A8.2	WALL SECTIONS
A8.3	WALL SECTIONS
A8.4	WALL SECTIONS
A8.5	WALL SECTIONS
A8.6	WALL SECTIONS
A9.1	INTERIOR ELEVATIONS
A9.2	INTERIOR ELEVATIONS
A9.3	CASEWORK SECTIONS
A9.4	CASEWORK SECTIONS
A10.1	OPENING SCHEDULE
A10.2	OPENING SCHEDULE
A10.3	FRAME ELEVATIONS
A10.4	DETAILS
A10.5	DETAILS
A10.6	EQUIPMENT SCHEDULE

MECHANICAL

ELECTRICAL

FOOD SERVICE EQUIPMENT

INTERIOR DESIGN

ID1.0	FINISH NOTES
ID1.1A	PARTIAL FINISH FLOOR PLAN - AREA 'A'
ID1.1B	PARTIAL FINISH FLOOR PLAN - AREA 'B'
ID1.1C	PARTIAL FINISH FLOOR PLAN - AREA 'C'
ID1.1D	PARTIAL FINISH FLOOR PLAN - AREA 'D'
ID1.1E	PARTIAL FINISH FLOOR PLAN - AREA 'E'
ID2.1B	PARTIAL FURNITURE PLAN - AREA 'B'
ID2.1C	PARTIAL FURNITURE PLAN - AREA 'C'
ID2.1D	PARTIAL FURNITURE PLAN - AREA 'D'
ID2.1E	PARTIAL FURNITURE PLAN - AREA 'E'

FIRE PROTECTION

Code Information

GOVERNING REGULATIONS

Council Bluffs Building Code

- Uniform Administrative Code (adopted IBC 2018) — 2018 IDMC
- International Building Code with Local Amendments and Ordinances — 2018 Edition

Council Bluffs Mechanical Code

- International Mechanical Code with Local Amendments — 2021 Edition

Council Bluffs Plumbing Code

- Uniform Plumbing Code with Local Amendments — 2021 Edition

Council Bluffs Lighting and Electrical Code

- National Electrical Code with Local Amendments — 2020 Edition

Council Bluffs Energy Code

- International Energy Conservation Code with Local Amendments — 2012 Edition

Council Bluffs Fire Code

- International Fire Code with Local Amendments — 2015 Edition

Council Bluffs Fuel Gas Code

- International Fuel Gas Code with Local Amendments — 2015 Edition

Accessibility Regulations

- ADA Standards for Accessible Design — 2010 Edition

National Fire Protection Association - Life Safety Code — NFPA 101 - 2015 Edition

Iowa Administrative Code (IAC) or Code of Federal Regulations (CFR) Title 42

PROJECT DESCRIPTION

The Project Scope for the New Behavioral Health Hospital consists of a new one-story, 71,940 sf, Mixed Facility to be located in Council Bluffs, Iowa. The Facility will be classified as an Institutional (I-2) Occupancy and constructed Type IIA Construction. The entire Facility will be fully sprinklered.

BUILDING CLASSIFICATIONS

FIRE PROTECTION, DETECTION AND ALARM SYSTEMS

All code compliant to based upon new Building which will be fully protected by approved automatic sprinkler and fire alarm systems at completion of the Project.

USE GROUPS OCCUPANCIES

International Building Code (IBC 2018)	NFPA 101
I-2 (Institutional - Ambulatory) Condition 1 (Sections 308.3, 308.3.1.1 and 407)	New Healthcare (Chapter 18)

TYPE OF CONSTRUCTION

Type IIA (Noncombustible, Unprotected) (Section 602.2)	Type II(000) (Noncombustible, Unprotected) (Table 4.6.6.1)

ALLWOBLE BUILDING HEIGHT

IBC 2018	NFPA 101
65'-0" (1 Story (above Grade) (Table 504.3, 504.4)	1 Story (Table 18.1.6.1)

ACTUAL BUILDING HEIGHT

30'-0" (1 Story (above Grade)

ALLWOBLE BUILDING AREA


IBC 2018	NFPA 101
44,000sf per Building (Table 506.2(2)1)	NA

ACTUAL BUILDING AREA

Project is separated into three distinct buildings as indicated on Sheet A2.1.0

Total new building: 71,940sf
Building 1 - Areas A and B = 30,097 SF (Allowable of 44,000 SF)
Building 2 - Area C and D = 35,205 SF (Allowable of 44,000 SF)
Building 3 - Area E = 5,799 SF (Allowable OF 44,000 SF)

Location Map



STENGEL HILL ARCHITECTURE

613 WEST MAIN STREET LOUISVILLE, KENTUCKY 40202 502.893.1675 502.893.1676 fax

ACADIA HEALTHCARE + METHODIST JENNIE EDMUNDSON

NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IA

S 24TH STREET
COUNCIL BLUFFS, IA 51501

50% CD SET - NOT FOR CONSTRUCTION

07 Sept 2023
AHC2246

50% CD SET - NOT FOR CONSTRUCTION

NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.


Civil Engineering
CRUNK ENGINEERING
Crunk Engineering, LLC
7112 Crossroads Blvd, Suite 201 / Brentwood, TN / 37027
615.673.1795

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERING, P.C.
Skyhook Structural Engineering, P.C.
229 Ward Circle, Suite B23 / Brentwood, TN / 37027
615.777.0067

Mechanical/Electrical Engineering
CMTA
CMTA, Inc.
10451 Meeting Street / Prospect, KY / 40059
502.326.3065 / 502.326.2691 fax

Interior Design
Stengel Hill Architecture
613 West Main Street / Louisville, KY / 40202
502.893.1675 / 502.893.1676 fax

Foodservices Design
INMAN foodservices group
Inman Foodservices Group, LLC
3807 Charlotte Avenue / Nashville, TN / 37209
615.321.5891 / 615.321.5889 fax



01 ARCHITECTURAL SITE PLAN

GENERAL NOTES

1. REFERENCE CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL EMPLOY DUST REDUCTION MEASURES WHEN PERFORMING EXCAVATION, GRADING, OR DEMOLITION WORK ON SITE.
3. CONTRACTOR SHALL PROVIDE WASH-DOWN FACILITIES TO CLEAN LOOSE DIRT, ROCK, VEGETATION OR ANY TYPE OF DEMOLITION DEBRIS FROM TRUCKS EXITING THE PROPERTY.
4. ALL TRUCKS EXITING THE SITE MUST BE COVERED BY DUST-REDUCING TOPS.
5. CONTRACTOR SHALL VERIFY EXISTING SITE CONDITIONS AND SHALL NOTIFY ARCHITECT/ENGINEER OF ANY DISCREPANCIES BETWEEN EXISTING CONDITIONS AND CONFIGURATIONS SHOWN IN CONSTRUCTION DRAWINGS.
6. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR-FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
7. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
8. FIRE ACCESS ROADS:
   - 32' WIDE OR GREATER - PARKING ALLOWED ON BOTH SIDES
   - AT LEAST 28' WIDE BUT LESS THAN 34' - NO PARKING ON ONE SIDE
   - LESS THAN 28' WIDE - NO PARKING ON EITHER SIDE.

SITE PLAN KEYNOTES

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION


SITE PLAN
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC224E


A1.1




03 ENLARGED SITE PLAN



09 ENLARGED SITE PLAN




08 ENLARGED SITE PLAN




07 ENLARGED SITE PLAN

06 ENLARGED SITE PLAN


05 ENLARGED SITE PLAN



04 ENLARGED SITE PLAN



02 ENLARGED SITE PLAN



01 ENLARGED SITE PLAN

GENERAL NOTES

1. REFERENCE CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL EMPLOY DUST REDUCTION MEASURES WHEN PERFORMING EXCAVATION, GRADING, OR DEMOLITION WORK ON SITE.
3. CONTRACTOR SHALL PROVIDE WASH-DOWN FACILITIES TO CLEAN LOOSE DIRT, ROCK, VEGETATION OR ANY TYPE OF DEMOLITION DEBRIS FROM TRUCKS EXITING THE PROPERTY.
4. ALL TRUCKS EXITING THE SITE MUST BE COVERED BY DUST-REDUCING TOPS.
5. CONTRACTOR SHALL VERIFY EXISTING SITE CONDITIONS AND SHALL NOTIFY ARCHITECT/ENGINEER(S) OF ANY DISCREPANCIES BETWEEN EXISTING CONDITIONS AND CONFIGURATIONS SHOWN IN CONSTRUCTION DRAWINGS.
6. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR-FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
7. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
8. FIRE ACCESS ROADS:
   - 20' WIDE OR GREATER – PARKING ALLOWED ON BOTH SIDES
   - AT LEAST 28' WIDE BUT LESS THAN 34' - NO PARKING ON ONE SIDE
   - LESS THAN 28' WIDE – NO PARKING ON EITHER SIDE.

SITE PLAN KEYNOTES

ARCH.04 V.F.V.I. DUMPSTER.

CIVIL.A1 CONCRETE CURB AND GUTTER ASSEMBLY (REFER TO CIVIL DRAWINGS).

CIVIL.A2 CONCRETE SIDEWALK ASSEMBLY (REFER TO CIVIL DRAWINGS).

CIVIL.A3 ZERO TRANSITION CONCRETE SIDEWALK ASSEMBLY FLUSH WITH ADJACENT ASPHALT PAVEMENT (REFER TO CIVIL DRAWINGS).

CIVIL.A7 ADA ACCESSIBLE PARKING SPACE, PAINTED MARKINGS, SIGN, AND BOLLD (REFER TO CIVIL DRAWINGS).

CIVIL.A8 LANDSCAPE/SCAPE AREA (REFER TO CIVIL/LANDSCAPE DRAWINGS).

CIVIL.A9 CONCRETE FILLED, PAINTED STEEL PIPE BOLLARD (REFER TO CIVIL DRAWINGS).

CIVIL.B3 PAINTED DIRECTIONAL ARROWS (REFER TO CIVIL DRAWINGS).

CIVIL.B5 CONCRETE PAVEMENT (REFER TO CIVIL DRAWINGS).

CIVIL.G4 PRECAST CONCRETE WHEEL STOP (REFER TO CIVIL DRAWINGS).

ELECT.B5 EXTERIOR POLE-MOUNTED SITE LIGHT/CONCRETE BASE ASSEMBLY (REFER TO ELECTRICAL DRAWINGS).

ELECT.B7 CONCRETE PAD-MOUNTED ELECTRICAL EMERGENCY GENERATOR (REFER TO ELECTRICAL DRAWINGS).

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED SITE PLANS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246


A1.2

GENERAL NOTES


1. REFERENCE CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL EMPLOY DUST REDUCTION MEASURES WHEN PERFORMING EXCAVATION, GRADING, OR DEMOLITION WORK ON SITE.
3. CONTRACTOR SHALL PROVIDE WASH-DOWN FACILITIES TO CLEAN LOOSE DIRT, ROCK, VEGETATION OR ANY TYPE OF DEMOLITION DEBRIS FROM TRUCKS EXITING THE PROPERTY.
4. ALL TRUCKS EXITING THE SITE MUST BE COVERED BY DUST-REDUCING TOPS.
5. CONTRACTOR SHALL VERIFY EXISTING SITE CONDITIONS AND SHALL NOTIFY ARCHITECT/ENGINEER IF ANY DISCREPANCIES BETWEEN EXISTING CONDITIONS AND CONFIGURATIONS SHOWN IN CONSTRUCTION DRAWINGS.
6. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR-FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
7. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
8. FIRE ACCESS ROADS:
   - 32' WIDE OR GREATER - PARKING ALLOWED ON BOTH SIDES
   - AT LEAST 28' WIDE BUT LESS THAN 34' - NO PARKING ON ONE SIDE
   - LESS THAN 28' WIDE - NO PARKING ON EITHER SIDE.

SITE PLAN KEYNOTES

S23000.AA	NOMINAL 8" X 8" X 16" CONCRETE MASONRY UNIT.
S42200.AE	NOMINAL 4" X 8" X 16" CONCRETE MASONRY UNIT (REFER TO STRUCTURAL DRAWINGS).
S42200.AF	NOMINAL 12" X 8" X 16" CONCRETE MASONRY UNIT (REFER TO STRUCTURAL DRAWINGS).
S47000.AY	ADHERED STONE VENEER.
S67000.FC	ARCHITECTURAL CAST STONE SILL.
S72400.AE	EXTERIOR INSULATION AND FINISH SYSTEM. PROVIDE CONTROL JOINTS (CJ) AND REVEALS (R/CJ) AS INDICATED ON EXTERIOR ELEVATIONS.
S77100.AX	PREFINISHED ALUMINUM COPING SYSTEM.
CIVIL.SC	FINISH GRADE VARIES (REFER TO CIVIL DRAWINGS).
STRUC.C1	CAST-IN-PLACE REINFORCING CONCRETE FOUNDATION (REFER TO STRUCTURAL DRAWINGS).



10 WALL SECTION




09 WALL SECTION



08 MONUMENT SIGN ELEVATION



07 ACTIVITY FENCE - INTERIOR ELEVATION



06 ELEVATION - DUMPSTER/ GENERATOR ENCLOSURE



05 ELEVATION - DUMPSTER/ GENERATOR ENCLOSURE




04 MONUMENT SIGN ELEVATION



03 ELEVATION - DUMPSTER/ GENERATOR ENCLOSURE



02 ELEVATION - DUMPSTER/ GENERATOR ENCLOSURE



01 ELEVATION - DUMPSTER/ GENERATOR ENCLOSURE

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

SITE DETAILS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A1.3



10 DETAIL

13 DETAIL - PRECAST FENCE


09 DETAIL

PUBLIC SIDE


PATIENT SIDE

08 DETAIL


07 DETAIL



06 TYPICAL COLUMN DETAIL




05 TYPICAL COLUMN DETAIL



PRECAST FENCE COLUMNS SHALL BE EQUALLY SPACED THROUGHOUT PROJECT


12 PRECAST FENCE
FENCE SECTION (TYPE 2)

11 PRECAST FENCE
FENCE ELEVATION (TYPE 2)




04 GAZEBO
BUILDING SECTION

03 GAZEBO
BUILDING SECTION



02 GAZEBO
FLATTENED FRAMING PLAN



01 GAZEBO
FLOOR PLAN

GENERAL NOTES

1. REFERENCE CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL EMPLOY DUST REDUCTION MEASURES WHEN PERFORMING EXCAVATION, GRADING, OR DEMOLITION WORK ON SITE.
3. CONTRACTOR SHALL PROVIDE WASH-DOWN FACILITIES TO CLEAN LOOSE DIRT, ROCK, VEGETATION OR ANY TYPE OF DEMOLITION DEBRIS FROM TRUCKS EXITING THE PROPERTY.
4. ALL TRUCKS EXITING THE SITE MUST BE COVERED BY DUST-REDUCING TOPS.
5. CONTRACTOR SHALL VERIFY EXISTING SITE CONDITIONS AND SHALL NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES BETWEEN EXISTING CONDITIONS AND CONFIGURATIONS SHOWN IN CONSTRUCTION DRAWINGS.
6. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR-FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
7. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
8. FIRE ACCESS ROADS:
   - 32' WIDE OR GREATER - PARKING ALLOWED ON BOTH SIDES
   - AT LEAST 28' WIDE BUT LESS THAN 34' - NO PARKING ON ONE SIDE
   - LESS THAN 28' WIDE - NO PARKING ON EITHER SIDE.

SITE PLAN KEYNOTES

107300.A6	2" WIDE SMART ALUMINUM SIDEWIRE TO EXTRUDED ALUMINUM WITH FASTENERS.
107300.A8	METAL ENDWIRE SYSTEM
107300.B2	3" METAL DECK PAINTED TO 6" X 4" STEEL BEAM (BY PRE-ENGINEERED ALUMINUM CANOPY MANUFACTURER)
107300.B3	6" X 4" STEEL BEAM (BY PRE-ENGINEERED ALUMINUM CANOPY MANUFACTURER)
107300.B4	6" X 4" STEEL COLUMN (BY PRE-ENGINEERED ALUMINUM CANOPY MANUFACTURER)
107300.B5	8" METAL FASCIA (BY PRE-ENGINEERED ALUMINUM CANOPY MANUFACTURER)
ARCH.B4	PRECAST FENCE CONTINUOUS SPREAD FOOTING BY SPECIALTY ENGINEER.
ARCH.B7	16X16 INTEGRALLY-COLORED PRECAST SECURITY FENCE SYSTEM EQUAL TO SUPERIOR BRICK (GRAVELS ONLY) SCREEN WALL ASSEMBLY (INCLUDING ASSOCIATED WALL PANELS, POST CAPS, AND PANEL CAPS) OR ARCHITECT APPROVED EQUAL. COLORS TO BE SELECTED BY ARCHITECT. (GRAVEL)
CIVIL.B2	FINISH GRADE VARIES (REFER TO CIVIL DRAWINGS)
CIVIL.B5	CONCRETE PAVEMENT (REFER TO CIVIL DRAWINGS)
STRUC.C1	24" DIAMETER CONCRETE FOOTING TYPICAL AT EACH COLUMN
STRUC.C5	#5 x 10' REINFORCING, ONE EACH AXIS (2' O.C., 6" CLEAR FROM BOTTOM OF COLUMN)
STRUC.C9	GRAVEL SUB-BASE (REFER TO STRUCTURAL DRAWINGS)

STENGEL HILL ARCHITECTURE

615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design

ACADIA HEALTHCARE


50% CD SET - NOT FOR CONSTRUCTION

SITE DETAILS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A1.4

BUILDING SEPARATION



NEW BEHAVIORAL HEALTH HOSPITAL

Original Allowable Area Prior to Modification:
IBC 2015 Chapter 5 - Tables 504 4/506.2 Group I-2 Type II-B Construction Allowable 1 Story, 11,000 SF.

Allowable Area after Modification:
IBC 2015 Chapter 5 - Section 506 - Building Area Modifications
Allowable Area Calculation = ([Table 503 allowable value]+[Table 503 Allowable Value] X (Sprinkler Increase Value of 300 Percent for a multiplied value of "3"))
Actual Allowable Area =[11,000 + (11,000 X 3)] = 44,000 SF

We have provided Separate Buildings per IBC 2015 Chapter 31 - Section 3104 Pedestrian Walkways and Tunnels. Per 3104.1 "The pedestrian walkway shall not contribute to the building area or the number of stories or height of connected buildings". Per 3104.2 "Buildings connected by pedestrian walkways or tunnels shall be considered to be separate structures." Per 3104.5.2 "The wall separating the pedestrian walkway and the building shall comply with Section 3104.5.2.1 or 3104.5.2.2 where."
"1. The distance between the connected building is more than 10 feet."
"2. The pedestrian walkway and connected buildings are equipped throughout with an automatic sprinkler system in accordance with Section 903.3.1.1, and the roof of the walkway is not more than 55 feet above grade connecting to the fifth, or lower, story above grade plane, of each building."
Per 3104.5.2.1 "The wall shall be capable of resisting the passage of smoke."

The breakdown of Building Areas are as follows (Reference Sketch)
Building 1 - Areas A and B = ~30,087 SF (Allowable of 44,000 SF)
Building 2 - Area C and D = ~35,255 SF (Allowable of 44,000 SF)
Building 3 - Area E = ~5,756 SF (Allowable OF 44,000 SF)

LIFE SAFETY LEGEND



LIFE SAFETY PARTITION LEGEND



GENERAL NOTES

1. CONTRACTOR SHALL PROVIDE PAINTED STENCILED MARKINGS ABOVE CEILING IN VISIBLE LOCATIONS AT 10'-0" ON CENTER MAXIMUM SPACING BOTH SIDES AT ALL LOCATIONS AS FOLLOWS:

   MARKINGS AT LOCATIONS OF FIRE BARRIERS AS INDICATED BY TYPE FB1 ASSEMBLIES IN CONSTRUCTION DRAWINGS SHALL CONSIST OF RED LETTERS IN 3" (MINIMUM) HIGH TYPE WHICH STATES "FIRE BARRIER - SEAL ALL PENETRATIONS."

   MARKINGS AT LOCATIONS OF SMOKE BARRIERS AS INDICATED BY TYPE "SB" ASSEMBLIES IN CONSTRUCTION DRAWINGS SHALL CONSIST OF RED LETTERS IN 3" (MINIMUM) HIGH TYPE WHICH STATES "SMOKE BARRIER - SEAL ALL PENETRATIONS."

   ALL CORRIDOR WALLS SHALL BE SMOKE RESISTIVE PARTITIONS PER THE TYPE "C" SPECIAL PARTITION ASSEMBLY AS INDICATED ON SHEET A3.2.
2. CONTRACTOR SHALL PROVIDE THROUGH-PENETRATION FIRESTOP SYSTEMS AS REQUIRED TO MAINTAIN RATING AT ALL PENETRATIONS THROUGH NEW FIRE-RATED ASSEMBLIES.
3. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
4. PROVIDE MOISTURE RESISTANT GYPSUM WALLBOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO EXACTLY 6" ABOVE CEILING UNLESS OTHERWISE NOTED (REFER TO INTERIOR PARTITION TYPES).
6. CONTRACTOR SHALL PROVIDE 1/2" x 48" x 8' APPLICABLE GLASS FIBER ACOUSTICAL INSULATION AT ALL INTERIOR PARTITION TYPES WITH 6" METAL STUDS OR LARGER.



01 LIFE SAFETY PLAN

SMOKE COMPARTMENTS

NEW BEHAVIORAL HEALTH HOSPITAL


STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1878 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design
ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION


LIFE SAFETY PLAN
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A3.1



2 ENLARGED LIFE SAFETY PLAN
A3.1.0 1/8" = 1'-0" NORTH



1 ENLARGED LIFE SAFETY PLAN
A3.1.0 1/8" = 1'-0" NORTH

GENERAL NOTES

1. CONTRACTOR SHALL PROVIDE PAINTED STENCILED MARKINGS ABOVE CEILING IN VISIBLE LOCATIONS AT 10'-0" ON CENTER MAXIMUM SPACING BOTH SIDES AT ALL LOCATIONS AS FOLLOWS:

   MARKINGS AT LOCATIONS OF FIRE BARRIERS AS INDICATED BY TYPE FB1 ASSEMBLIES IN CONSTRUCTION DRAWINGS SHALL CONSIST OF RED LETTERS IN 3" MINIMUM HIGH TYPE WHICH STATES "FIRE BARRIER - SEAL ALL PENETRATIONS."

   MARKINGS AT LOCATIONS OF SMOKE BARRIERS AS INDICATED BY TYPE "SB" ASSEMBLIES IN CONSTRUCTION DRAWINGS SHALL CONSIST OF RED LETTERS IN 3" MINIMUM HIGH TYPE WHICH STATES "SMOKE BARRIER - SEAL ALL PENETRATIONS."

   ALL CORRIDOR WALLS SHALL BE SMOKE RESISTIVE PARTITIONS PER THE TYPE "C" SPECIAL PARTITION ASSEMBLY AS INDICATED ON SHEET A2.2.

2. CONTRACTOR SHALL PROVIDE THROUGH-PENETRATION FIRESTOP SYSTEMS AS REQUIRED TO MAINTAIN RATING AT ALL PENETRATIONS THROUGH NEW FIRE-RATED ASSEMBLIES.

3. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.

4. PROVIDE MOISTURE RESISTANT GYPSUM WALLBOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.


5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO EXACTLY 6" ABOVE CEILING UNLESS OTHERWISE NOTED (REFER TO INTERIOR PARTITION TYPES).

6. CONTRACTOR SHALL PROVIDE 1FT 1-1/8" x 4'-0" x 5" ARTICULATED GLASS FIBER ACOUSTICAL INSULATION AT ALL INTERIOR PARTITION THIRD WITH 6" METAL STUDS OR LARGER.

LIFE SAFETY PARTITION LEGEND



LIFE SAFETY LEGEND



STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1878 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED LIFE SAFETY PLANS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A3.1.0



2 OCCUPANCY LOAD/EXIT PLAN

OCCUPANCY LOADS - FIRST FLOOR

FUNCTION OF SPACE	AREA	OCCUPANT LOAD FACTOR	OCCUPANT LOAD
ACCESSORY STORAGE AREAS, MECHANICAL EQUIPMENT ROOM	4213 SF	300	15
ASSEMBLY WITHOUT FIXED SEATS - GYMNASIUM	3074 SF	7	440
ASSEMBLY WITHOUT FIXED SEATS - UNCONCENTRATED (TABLES AND CHAIRS)	1946 SF	15	130
BUSINESS AREAS	14252 SF	100	143
EGRESS/NON-OCCUPIED SPACE	12866 SF	0	
INSTITUTIONAL AREAS - INPATIENT TREATMENT AREAS	11167 SF	240	47
INSTITUTIONAL AREAS - OUTPATIENT TREATMENT AREAS	2351 SF	100	24
INSTITUTIONAL AREAS - SLEEPING AREAS	13099 SF	120	99
KITCHEN, COMMERCIAL	2334 SF	200	12
Grand total	84159 SF		912 912/18 Exits = ~51 Occupants per Exit

IBC 2015 - SECTION 1005.3.2 - EGRESS WIDTH

Level	# of Occupants	Inches/ Occupant	Required	Provided
First	912	.2	182.4"	743"

LIFE SAFETY PARTITION LEGEND

1-HOUR FIRE BARRIER
SMOKE BARRIER
2-HOUR FIRE BARRIER

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

OCCUPANCY LOAD/EXITING PLAN
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A3.1.1



01 SECURITY PROVISIONS PLAN
A1.1.2 1" = 20'-0" NORTH

SECURITY LEGEND

INTERIOR PROVISIONS:

LEVEL 1A: - NO SECURITY PROVISIONS REQUIRED (STAFF AREA)

LEVEL 2: - WALLS: IMPACT RESISTANT GYPSUM WALLBOARD
- CEILINGS: ACOUSTICAL
- STANDARD GRILLES/REGISTERS/DIFFUSERS
- STANDARD LIGHT FIXTURES
- SECURE SPRINKLER HEADS (RAVEN)
- STANDARD SEALANTS

LEVEL 2A: - WALLS: IMPACT RESISTANT GYPSUM WALLBOARD
- CEILINGS: ACOUSTICAL AT 9'-0" MINIMUM
- ANTI-LIGATURE GRILLES/REGISTERS/DIFFUSERS
- STANDARD LIGHT FIXTURES WITH IMPACT LENS
- SECURE SPRINKLER HEADS (RAVEN)
- TAMPER-RESISTANT FASTENERS
- PICK-PROOF SEALANTS

LEVEL 2B: - WALLS: IMPACT RESISTANT GYPSUM WALLBOARD
- CEILINGS: STANDARD GYPSUM WALLBOARD AT 9'-0" MINIMUM
- ANTI-LIGATURE GRILLES/REGISTERS/DIFFUSERS
- ANTI-LIGATURE FIXTURES
- IMPACT RESISTANT LIGHT FIXTURES
- STAINLESS STEEL ELECTRICAL DEVICE COVERPLATES
- SECURE SPRINKLER HEADS (RAVEN)
- TAMPER-RESISTANT FASTENERS
- PICK-PROOF SEALANTS

LEVEL 3: - WALLS: IMPACT RESISTANT GYPSUM WALLBOARD
- CEILINGS: STANDARD GYPSUM WALLBOARD
- ANTI-LIGATURE GRILLES/REGISTERS/DIFFUSERS
- ANTI-LIGATURE FIXTURES
- STAINLESS STEEL ELECTRICAL DEVICE COVERPLATES
- SECURE SPRINKLER HEADS (RAVEN)
- TAMPER-RESISTANT FASTENERS
- PICK-PROOF SEALANTS

LEVEL 4: - WALLS: IMPACT RESISTANT GYPSUM WALLBOARD
- CEILINGS: STANDARD GYPSUM WALLBOARD AT 10'-0" MINIMUM
- ANTI-LIGATURE GRILLES/REGISTERS/DIFFUSERS
- ANTI-LIGATURE FIXTURES
- IMPACT RESISTANT LIGHT FIXTURES
- STAINLESS STEEL ELECTRICAL DEVICE COVERPLATES
- SECURE SPRINKLER HEADS (RAVEN)
- TAMPER-RESISTANT FASTENERS
- PICK-PROOF SEALANTS

EXTERIOR PROVISIONS:

- HIGH IMPACT RESISTANT SIPS UP TO 12'-0"
- PROVIDE IMPACT RESISTANT DOOR/DOOR PROTECTION

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

SECURITY PROVISIONS PLAN
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A3.1.2



01 SPECIAL LOCKING PLAN

SPECIAL LOCKING LEGEND

- INDICATES ELECTROMAGNETIC LOCKING DEVICE TO REMAIN LOCKED UPON FIRE ALARM INITIATION PER THE EXCEPTION OUTLINED BELOW WITHIN SECTION 1010.1.9.6, IBC 2015 IBC SECTION 1010.1.9.6 - CONTROLLED EGRESS DOORS IN GROUP I-2. ELECTRIC LOCKING SYSTEMS, INCLUDING ELECTRO-MECHANICAL AND ELECTROMAGNETIC LOCKING SYSTEMS, SHALL BE PERMITTED TO BE LOCKED IN THE MEANS OF EGRESS IN A GROUP I-2 OCCUPANCY WHERE THE CLINICAL NEEDS OF PERSONS RECEIVING CARE REQUIRE THEIR CONTAINMENT. CONTROLLED EGRESS DOORS SHALL BE PERMITTED IN SUCH OCCUPANCIES WHERE THE BUILDING IS EQUIPPED THROUGHOUT WITH AN AUTOMATIC SPRINKLER SYSTEM IN ACCORDANCE WITH SECTION 903.2.6.1 OR AN APPROVED AUTOMATIC SMOKE OR HEAT DETECTION SYSTEM INSTALLED IN ACCORDANCE WITH SECTION 907, PROVIDED THAT THE DOORS ARE INSTALLED AND OPERATE IN ACCORDANCE WITH THE FOLLOWING ITEMS:

1. THE DOOR LEAVES SHALL UNLOCK UPON ACTUATION OF THE AUTOMATIC SPRINKLER SYSTEM OR AUTOMATIC FIRE DETECTION SYSTEM.
2. THE DOOR LEAVES SHALL UNLOCK ON LOSS OF POWER CONTROLLING THE LOCK OR LOCK MECHANISM.
3. THE DOOR LOCKING SYSTEM SHALL BE INSTALLED TO HAVE THE CAPABILITY OF BEING UNLOCKED BY A SWITCH LOCATED AT THE FIRE COMMAND CENTER, A NURSING STATION OR OTHER APPROVED LOCATION. THE SWITCH SHALL BE DIRECTLY BREAK POWER TO THE LOCK.
4. A BUILDING OCCUPANT SHALL NOT BE REQUIRED TO PASS THROUGH MORE THAN ONE DOOR EQUIPPED WITH A CONTROLLED EGRESS LOCKING SYSTEM BEFORE ENTERING AN EXIT.
5. THE PROCEDURES FOR UNLOCKING THE DOORS SHALL BE DESCRIBED AND APPROVED AS PART OF THE EMERGENCY PLANNING AND PREPAREDNESS REQUIRED BY CHAPTER 4 OF THE INTERNATIONAL FIRE CODE.
6. ALL CLINICAL STAFF SHALL HAVE THE KEYS, CODES OR OTHER MEANS NECESSARY TO OPERATE THE LOCKING SYSTEMS.
7. EMERGENCY LIGHTING SHALL BE PROVIDED AT THE DOOR.
8. THE DOOR LOCKING SYSTEM UNITS SHALL BE LISTED IN ACCORDANCE WITH UL 294.

EXCEPTIONS: ITEMS 1 THROUGH 4 SHALL NOT APPLY TO DOORS TO AREAS OCCUPIED BY PERSONS WHO, BECAUSE OF CLINICAL NEEDS, REQUIRE RESTRAINT OR CONTAINMENT AS PART OF THE FUNCTION OF A PSYCHIATRIC TREATMENT AREA.

ITEMS 1 THROUGH 4 SHALL NOT APPLY TO DOORS TO AREAS WHERE A LISTED EGRESS CONTROL SYSTEM IS UTILIZED TO REDUCE THE RISK OF CHILD ABDUCTION FROM NURSERY AND OBSTETRIC AREAS OF A GROUP I-2 HOSPITAL.

- INDICATES ELECTROMECHANICAL OR ELECTROMAGNETIC LOCKING SYSTEM TO UNLOCK UPON FIRE ALARM INITIATION.
- INDICATES SECLUSION ROOM DOOR LOCKING. PATIENT UNDER CONTINUOUS STAFF SUPERVISION WHILE IN SECLUSION ROOM.
- INDICATES DOOR THAT IS NOT AN EXIT NOR A WAY OF EXIT ACCESS BUT MAY BE MISTAKEN FOR AN EXIT. PER 2015 NFPA 101 LIFE SAFETY CODE SECTION 7.10.3 - EACH DOOR, DOOR THAT READS "NO EXIT" SHALL BE PROVIDED AT THIS OPENING. THE SIGN SHALL HAVE THE WORD "NO" IN LETTERS EACH WITH A STROKE WIDTH OF 3/8" AND THE WORD "EXIT" IN LETTERS 1" HIGH WITH THE WORD "EXIT" BELOW THE WORD "NO".

LIFE SAFETY PARTITION LEGEND

1-HOUR FIRE BARRIER
2-HOUR FIRE BARRIER
SMOKE BARRIER

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


50% CD SET - NOT FOR CONSTRUCTION

ACADIA HEALTHCARE

SPECIAL LOCKING PLAN
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA


07 Sept 2023
AHC2246

A3.1.3






SPECIAL PARTITION ASSEMBLIES



SPECIAL PARTITION ASSEMBLIES


INTERIOR PARTITION TYPES (CONT.)

1 1/2" = 1'-0"




INTERIOR PARTITION TYPES

1 1/2" = 1'-0"



PARTITION DETAILS

1 1/2" = 1'-0"




GENERAL NOTES

1. ALL DIMENSIONS ARE FROM FACE OF FINISH WALL TO FACE OF FINISH WALL UNLESS OTHERWISE NOTED.
2. PROVIDE MOISTURE RESISTANT GYPSUM WALLBOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
3. ALL INTERIOR PARTITIONS SHALL BE TYPE XX UNLESS NOTED EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE YY UNLESS OTHERWISE NOTED.
4. PROVIDE DEFLECTION TRACK AT ALL FULL HEIGHT PARTITIONS INCLUDING CORRIDOR, FIRE BARRIER, FIRE WALL, SMOKE AND DRAFT PARTITIONS. REFER TO SPECIFICATIONS FOR ADDITIONAL INFORMATION.

PARTITION KEYNOTES

072100.A1	MINERAL WOOL ACOUSTIC INSULATION (TYPE 2).
072100.A2	SPRAY-APPLIED CLOSED-CELL POLYURETHANE FOAM INSULATION (TYPE 2).
078400.A1	HEAD OF WALL FIRE STOP JOINT TREATMENT SYSTEM INTERSECTION OF FIRE / INSIDIR SMOKE RESISTIVE SEPARATION ASSEMBLY, WITH ROOF ASSEMBLY OR FLOOR ASSEMBLY
078400.A2	MECHANICAL OR ELECTRICAL THROUGH-PENETRATION FIRE STOP SYSTEM AS REQUIRED TO MAINTAIN FIRE / INSIDIR SMOKE RESISTIVE SEPARATION ASSEMBLY (REFER TO MECHANICAL AND ELECTRICAL DRAWINGS AND SPECIFICATIONS).
079200.A2	CONTINUOUS BEAD OF SEALANT.
092116.A1	ALIGN FACE OF SOFFIT WITH FACE OF ADJACENT WALL CONSTRUCTION.
092116.C8	
092116.G1	
092116.S2	
092116.S3	
092116.S8	
092116.B1	FLOOR AND CEILING RUNNERS.
092116.C8	REFER TO FLOOR PLAN, INTERIOR PARTITION TYPES, SPECIAL PARTITION ASSEMBLIES AND PARTITION TYPE LEGEND FOR SPECIFIC WALL CONSTRUCTION AND HEIGHT.
092900.A1	5/8" GYPSUM WALLBOARD. REFER TO PARTITION TYPES SHEET A3.2.
092900.A2	1" GYPSUM WALLBOARD SHAFT LINER PANELS.
092900.A7	5/8" TYPE-X GYPSUM WALL BOARD.
092900.C3	ACOUSTIC SEALANT TO LIMIT THE FREE PASSAGE OF SMOKE.
ELECT.D1	CEILING MOUNTED PENDANT LIGHT FIXTURE (REFER TO ELECTRICAL DRAWINGS)
ELECT.D3	IN-GROUND SIZE LIGHT FIXTURE (REFER TO ELECTRICAL DRAWINGS)

PARTITION TYPE LEGEND



STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design
ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

PARTITION DETAILS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A3.3

01 COMPOSITE FLOOR PLAN

STENGEL HILL
ARCHITECTURE

615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design

50% CD SET - NOT FOR CONSTRUCTION

ACADIA HEALTHCARE

COMPOSITE FLOOR PLAN
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA


07 Sept 2023
AHC2246

A4.1

KEYPLAN


NEW BEHAVIORAL HEALTH HOSPITAL

AREA WITH CHANGES



01 COMPOSITE FLOOR PLAN

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL
ARCHITECTURE

615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1975
502.893.1976 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

NOT FOR CONSTRUCTION

COMPOSITE FLOOR PLAN
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

22 August 2023
AHC2246

A4.1



01 PARTIAL FLOOR PLAN - AREA 'A'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL, UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATROOM HOOKS, WALL MOUNTED EQUIPMENT, SANITARY UNITS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.


FLOOR PLAN KEYNOTES

104415.61 - SEMI-RECESSED DETENTION FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER. MOUNT AT 2'-0" TO TOP OF FIRE EXTINGUISHER.

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

PARTIAL FLOOR PLAN - AREA 'A'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1A



01 PARTIAL FLOOR PLAN - AREA 'A'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL, UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAA" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATROOM HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

10A41.01.A1 CEMI-RECESSED DETENTION FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER. MOUNT AT 2'-0" TO TOP OF FIRE EXTINGUISHER.


AREA WITH CHANGES

CHANGES TO INDICATED WALL AND OPENINGS LOCATIONS

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design

ACADIA HEALTHCARE

NOT FOR CONSTRUCTION

PARTIAL FLOOR PLAN - AREA 'A'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

22 August 2023
AHC2246

A4.1A



GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL, UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATROOM HOOKS, WALL MOUNTED EQUIPMENT, GRAPHIC UNITS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

07710.6A1 PREFINISHED STEEL BREAK METAL DOWNSPOUT PROTECTION COVER INSTALLED FROM GRADE TO 10'-0" ABOVE FINISH FLOOR, COLOR TO BE SELECTED BY ARCHITECT.

07715.5A2 22 GA. STEEL 2" X 3" DOWNSPOUT WITH KYNAR 500 FINISH, COLOR TO BE SELECTED BY ARCHITECT.

07951.5A5 2" EXPANSION JOINT COVER ASSEMBLY. PROVIDE TYPE AS INDICATED.

10260.6A3 WALL PROTECTION (REFER TO INTERIOR DESIGN DRAWINGS).

10440.6A1 SEMI-RECESSED DETENTION FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER. MOUNT AT 4'-0" TO TOP OF FIRE EXTINGUISHER.

12632.5A1 6 TIER PLASTIC LAMINATE CLAD LOCKERS.

11160.6A1 RECESSED GUN LOCKER.

12241.5A1 MANUALLY OPERATED ROLLER WINDOW SHADE.


12323.6B1 PLASTIC LAMINATE CLAD SHELVES WITH HEAVY DUTY STANDARDS AND BRACKETS AT 7'-4" O.C. MAXIMUM.

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN

NOT TO SCALE



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED FLOOR PLAN - AREA 'A1'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1A.1



01 ENLARGED FLOOR PLAN - AREA 'A2'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE 4 UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE 2 UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATHOOKS HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.


FLOOR PLAN KEYNOTES

07710.6A1	PREFINISHED STEEL BREAK METAL DOWNSPOUT PROTECTION COVER INSTALLED FROM GRADE TO 10'-0" ABOVE FINISH FLOOR, COLOR TO BE SELECTED BY ARCHITECT.
07710.6A2	22 GA. STEEL 2'-0 X 9" DOWNSPOUT WITH KYNAR 500 FINISH. COLOR TO BE SELECTED BY ARCHITECT.
08961.6A1	RECESSED MANUAL SLIDING ALUMINUM FRAMED SERVICE WINDOW UNIT.
10260.6A3	WALL PROTECTION (REFER TO INTERIOR DESIGN DRAWINGS).
10440.6A1	SEMI-RECESSED DETENTION FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER. MOUNT AT 4'-0" TO TOP OF FIRE EXTINGUISHER.
12323.6A1 12324.6E1	MANUALLY OPERATED ROLLER WINDOW SHADE. PLASTIC LAMINATE CLAD CASEWORK WITH HEAVY DUTY STANDARDS AND BRACKETS AT 7'-4" O.C. MAXIMUM.

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED FLOOR PLAN - AREA 'A2'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1A.2



01 PARTIAL FLOOR PLAN - AREA 'B'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 5'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAM" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATHOOKS HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER AV EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

PLUMB.09

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN

NOT TO SCALE

AREA 'C' AREA 'D' Future
AREA 'B' AREA 'A' AREA 'E'

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

PARTIAL FLOOR PLAN - AREA 'B'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1B



01 PARTIAL FLOOR PLAN - AREA 'B'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 5'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAB" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIBERPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATHOOKS HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

RUNNER

AREA WITH CHANGES

CHANGES TO INDICATED WALL AND OPENINGS LOCATIONS

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN

NOT TO SCALE

AREA 'C' AREA 'D' Future
AREA 'B' AREA 'A' AREA 'E'

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

NOT FOR CONSTRUCTION

PARTIAL FLOOR PLAN - AREA 'B'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

22 August 2023
AHC2246

A4.1B



01 ENLARGED FLOOR PLAN - AREA 'B1'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL, UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAM" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARK BOARDS, CHALKBOARDS, TACKBOARDS, COATROOM HOOKS, WALL MOUNTED EQUIPMENT, GRAPHIC UNITS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER AV EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.


FLOOR PLAN KEYNOTES

07710.64	PREFINISHED STEEL BREAK METAL DOWNSPOUT PROTECTION COVER INSTALLED FROM GRADE TO 10'-0" ABOVE FINISH FLOOR, COLOR TO BE SELECTED BY ARCHITECT.
07720.62	22 GA. STEEL 2'-3 3" DOWNSPOUT WITH KYNAR 500 FINISH, COLOR TO BE SELECTED BY ARCHITECT.
08961.63	RECESSED MANUAL SLIDING ALUMINUM FRAMED SERVICE WINDOW UNIT.
10212.63	CUBICLE CURTAIN TRACK ASSEMBLY ABOVE (TYPE 1).
10260.63	WALL GRUTECTION-PROTECTION OF INTERIOR DESIGN DRAWINGS.
10441.63	CEMI-RECESSED DETENTION FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER. MOUNT AT 2'-0" TO TOP OF FIRE EXTINGUISHER.
10441.64	FIRE EXTINGUISHER AND BRACKET (REFER TO SPECIFICATIONS FOR TYPE).
10831.63	DEMOUNTABLE PANEL PARTITION.
12327.63	PLASTIC LAMINATE CLAD SHELVES WITH HEAVY DUTY STANDARDS AND BRACKETS AT 1'-0" O.C. MAXIMUM.

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED FLOOR PLAN - AREA 'B1'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1B.1



01 ENLARGED FLOOR PLAN - AREA 'B2'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL, UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATHOOKS HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

055123.A2	FIXED WALL MOUNTED VERTICAL ALUMINUM ACCESS LADDER.
077100.A1	PREFINISHED STEEL SPEAR METAL SCHNEIDOUT PROTECTION COVER INSTALLED FROM GRADE TO 12'-0" ABOVE FINISH FLOOR. COLOR TO BE SELECTED BY ARCHITECT.
077100.A2	22 GA. STEEL 2'-3 3" DOOR/SCUT WITH KYDAR 500 FINISH. COLOR TO BE SELECTED BY ARCHITECT.
077100.A3	ROOF HATCH WITH INTEGRAL ALUMINUM GUARD RAIL AND SAFETY POST ASSEMBLIES.
078000.A1	2" EXPANSION JOINT COVER ASSEMBLY. PROVIDE TYPE AS INDICATED.
102800.A2	WALL PROTECTION (REFER TO INTERIOR DESIGN DRAWINGS)
104416.A1	CEMENTITIOUS RECESSED FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER, MOUNT AT 4'-0" TO TOP OF FIRE EXTINGUISHER.
104416.A2	FIRE EXTINGUISHER AND BRACKET (REFER TO SPECIFICATIONS FOR TYPE)

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN

NOT TO SCALE

'C2' 'C3' 'D3' 'D2' Future
'B2' 'B1' 'A2' 'A1' 'E2' 'E1'
'A3'

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED FLOOR PLAN - AREA 'B2'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1B.2



01 PARTIAL FLOOR PLAN - AREA 'C'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 5'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE 4 UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE 2 UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATROBE HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN

NOT TO SCALE

AREA 'C' AREA 'D' Future
AREA 'B' AREA 'A' AREA 'E'

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

PARTIAL FLOOR PLAN - AREA 'C'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1C



01 ENLARGED FLOOR PLAN - AREA 'C1'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATROOM HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

077100.A1 PREFINISHED STEEL BREAK METAL DOWNSPOUT PROTECTION COVER INSTALLED FROM GRADE TO 10'-0" ABOVE FINISH FLOOR, COLOR TO BE SELECTED BY ARCHITECT.

077100.A2 22 GA. STEEL 2" X 3" DOWNSPOUT WITH KYNAR 500 FINISH, COLOR TO BE SELECTED BY ARCHITECT.

102122.A1 CUBICLE CURTAIN TRACK ASSEMBLY ABOVE (TYPE 1).

104410.A1 SEMI-RECESSED DETENTION FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER. SEDUCT AT 2'-0" TO TOP OF FIRE EXTINGUISHER.

123616.B1 PLASTIC LAMINATE CLAD ENDLESS WITH HEAVY DUTY STANDARDS AND BRACKETS AT 7'-0" O.C. MAXIMUM.

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN

NOT TO SCALE

'C1' 'D1'
'C2' 'C3' 'D3' 'D2' Future
'B2' 'B1' 'A2' 'A1' 'E2' 'E1'
'A3'

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED FLOOR PLAN - AREA 'C1'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1C.1



01 ENLARGED FLOOR PLAN - AREA 'C2'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 5'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, GRAB/GUARDS, CHALKBOARDS, TACKBOARDS, COATROOM HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.


FLOOR PLAN KEYNOTES

071100.A1	PREFINISHED STEEL BREAK METAL DOWNSPOUT PROTECTION COVER INSTALLED FROM GRADE TO 10'-0" ABOVE FINISH FLOOR, COLOR TO BE SELECTED BY ARCHITECT.
077100.A2	22 GA. STEEL 2'-3" DOWNSPOUT WITH KYNAR 500 FINISH, COLOR TO BE SELECTED BY ARCHITECT.
083313.A1	ROLLING COUNTER DOOR SYSTEM COMPLETE WITH SILL AND TRIM.
102132.A1	CUBICLE CURTAIN TRACK ASSEMBLY ABOVE (TYPE 1).
102800.A2	WALL DRIVEN TOWEL DISPENSER (REFER TO INTERIOR DESIGN DRAWINGS).
104416.A1	SEMI-RECESSED DETENTION FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER. MOUNT AT 2'-0" TO TOP OF FIRE EXTINGUISHER.
115213.A1	RECESSED CLAD LOCKER
123413.A1	MANUALLY OPERATED ROLLER WINDOW SHADE.
133419.B1	PLASTIC LAMINATE CLAD SHELVES WITH HEAVY DUTY STANDARDS AND BRACKETS AT 7'-4" O.C. MAXIMUM.
PLUMB.B1	FLOOR DRAIN CENTERED IN ROOM (REFER TO PLUMBING DRAWINGS).

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED FLOOR PLAN - AREA 'C2'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, ICWA

07 Sept 2023
AHC2246

A4.1C.2



01 ENLARGED FLOOR PLAN - AREA 'C3'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAM" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATROOM HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK, AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.


FLOOR PLAN KEYNOTES

077100.A1	PREFINISHED STEEL BREAK METAL DOWNSPOUT PROTECTION COVER INSTALLED FROM GRADE TO 10'-0" ABOVE FINISH FLOOR, COLOR TO BE SELECTED BY ARCHITECT.
077100.A2	22 GA. STEEL 2" X 3" DOWNSPOUT WITH KYNAR 500 FINISH, COLOR TO BE SELECTED BY ARCHITECT.
078813.A0	2" EXPANSION JOINT COVER ASSEMBLY - PROVIDE TYPE AS INDICATED.
102132.A1	CUBICLE CURTAIN TRACK ASSEMBLY ABOVE (TYPE 1).
102800.A0	WALL GROUTED NOA (REFER TO INTERIOR DESIGN DRAWINGS).
104416.A1	CEMI-RECESSED DETENTION FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER - MOUNT AT 2'-0" TO TOP OF FIRE EXTINGUISHER.
123116.E1	PLASTIC LAMINATE CLAD SHELVES WITH HEAVY DUTY STANDARDS AND BRACKETS AT 1'-4" O.C. MAXIMUM.
PLUMB.B1	FLOOR DRAIN (CENTERED IN ROOM) (REFER TO PLUMBING DRAWINGS)

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED FLOOR PLAN - AREA 'C3'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1C.3



01 PARTIAL FLOOR PLAN - AREA 'D'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATHOOKS HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN

NOT TO SCALE

AREA 'C' AREA 'D' Future
AREA 'B' AREA 'A' AREA 'E'

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

PARTIAL FLOOR PLAN - AREA 'D'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1D



01 ENLARGED FLOOR PLAN - AREA 'D1'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE 4 UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE 2 UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAM" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, HAND/GUARDS, CHALKBOARDS, TACKBOARDS, COATHOOKS HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

077100.A1 PREFINISHED STEEL BREAK METAL DOWNSPOUT PROTECTION COVER INSTALLED FROM GRADE TO 10'-0" ABOVE FINISH FLOOR, COLOR TO BE SELECTED BY ARCHITECT.

077100.A2 22 GA. STEEL 2" X 3" DOWNSPOUT WITH KYNAR 500 FINISH, COLOR TO BE SELECTED BY ARCHITECT.

102113.A1 CUBICLE CURTAIN TRACK ASSEMBLY ABOVE (TYPE 1).

104410.A1 SEMI-RECESSED DETEC'ON FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER. SEGUST AT 2'-0" TO TOP OF FIRE EXTINGUISHER.

123216.B1 PLASTIC LAMINATE CLAD ENDLESS WITH HEAVY DUTY STANDARDS AND BRACKETS AT 7'-0" O.C. MAXIMUM.

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN

NOT TO SCALE

'C1' 'D1'
'C2' 'C3' 'D3' 'D2' Future
'B2' 'B1' 'A2' 'A1' 'E2' 'E1'
'A3'

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED FLOOR PLAN - AREA 'D1'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1D.1



01 ENLARGED FLOOR PLAN - AREA 'D2'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL, UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 5'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, GRAB BARS/GUARDS, CHALKBOARDS, TACKBOARDS, COATROOM HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.


FLOOR PLAN KEYNOTES

071100.A1	PREFINISHED STEEL BREAK METAL DOWNSPOUT PROTECTION COVER INSTALLED FROM GRADE TO 10'-0" ABOVE FINISH FLOOR, COLOR TO BE SELECTED BY ARCHITECT.
077100.A2	22 GA. STEEL 2" X 3" DOWNSPOUT WITH KYNAR 500 FINISH, COLOR TO BE SELECTED BY ARCHITECT.
083313.A1	ROLLING COUNTER DOOR SYSTEM COMPLETE WITH SILL AND TRIM.
102132.A1	CUBICLE CURTAIN TRACK ASSEMBLY ABOVE (TYPE 1).
102800.A2	WALL GROUTED TOWEL/PAPER TO INTERIOR DESIGN DRAWINGS.
104470.A1	CEMI-RECESSED DETENTION FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER. MOUNT AT 2'-0" TO TOP OF FIRE EXTINGUISHER.
113100.A1	RECESSED CLAWLOCKER
123413.A1	MANUALLY OPERATED ROLLER WINDOW SHADE.
133316.B1	PLASTIC LAMINATE CLAD SHELVES WITH HEAVY DUTY STANDARDS AND BRACKETS AT 7'-4" O.C. MAXIMUM.
PLUMB.B1	FLOOR DRAIN CENTERED IN ROOM (REFER TO PLUMBING DRAWINGS).

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED FLOOR PLAN - AREA 'D2'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1D.2



01 ENLARGED FLOOR PLAN - AREA 'D3'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, GRAB/GUARDS, CHALKBOARDS, TACKBOARDS, COATING/BE HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.


FLOOR PLAN KEYNOTES

071100.A1	PREFINISHED STEEL BREAK METAL DOWNSPOUT PROTECTION COVER INSTALLED FROM GRADE TO 10'-0" ABOVE FINISH FLOOR, COLOR TO BE SELECTED BY ARCHITECT.
077100.A2	22 GA. STEEL 2" X 3" DOWNSPOUT WITH KYNAR 500 FINISH, COLOR TO BE SELECTED BY ARCHITECT.
078813.A6	2" EXPANSION JOINT COVER ASSEMBLY - PROVIDE TYPE AS INDICATED.
102132.A1	CURBED CURTAIN TRACK ASSEMBLY ABOVE (TYPE 1).
102800.A2	WALL SPOTBOTOM (REFER TO INTERIOR DESIGN DRAWINGS).
104416.A1	CEMI-RECESSED DETENTION FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER - MOUNT AT 2'-0" TO TOP OF FIRE EXTINGUISHER.
123116.E1	PLASTIC LAMINATE CLAD SHELVES WITH HEAVY DUTY STANDARDS AND BRACKETS AT 1'-4" O.C. MAXIMUM.
PLUMB.B1	FLOOR DRAIN (CENTERED IN ROOM) (REFER TO PLUMBING DRAWINGS)

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED FLOOR PLAN - AREA 'D3'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1D.3



01 PARTIAL FLOOR PLAN - AREA 'E'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATHOOKS HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.


REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERING, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

PARTIAL FLOOR PLAN - AREA 'E'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1E



01 PARTIAL FLOOR PLAN - AREA 'E'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATHOOKS HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

MOVED DOOR C-126 AND INDICATED WALL

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN

NOT TO SCALE

AREA 'C' AREA 'D' Future
AREA 'B' AREA 'A' AREA 'E'

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

NOT FOR CONSTRUCTION

PARTIAL FLOOR PLAN - AREA 'E'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

22 August 2023
AHC2246

A4.1E



01 ENLARGED FLOOR PLAN - AREA 'E1'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 5'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATHOOKS HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.


FLOOR PLAN KEYNOTES

104416.A1 10X4 RECESSED CETEMTION FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER. MOUNT AT 2'-0" TO TOP OF FIRE EXTINGUISHER.

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED FLOOR PLAN - AREA 'E1'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1E.1



01 ENLARGED FLOOR PLAN - AREA 'E2'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL, UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE A UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE D UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATROBE HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC UNITS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK, AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

078413.AB 2" EXPANSION JOINT COVER ASSEMBLY. PROVIDE TYPE AS INDICATED.

104416.A1 USA RECESSED DETENTION FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER. MOUNT AT 2'-0" TO TOP OF FIRE EXTINGUISHER.


123123.E2 PLASTIC LAMINATE CLAD SHELVES WITH HEAVY DUTY STANDARDS AND BRACKETS AT 7'-0" O.C. MAXIMUM.

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

KEYPLAN

NOT TO SCALE



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION


ENLARGED FLOOR PLAN - AREA 'E2'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A4.1E.2




12 ENLARGED PATIENT TOILET



11 TYPICAL ENLARGED ACCESSIBLE PATIENT TOILET/SHOWER



10 ENLARGED STAFF TOILET



9 ENLARGED NOURISH/ STAFF TOILET

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE 4 UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE 2 UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102000 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TA-#" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARD, CHALKBOARDS, TACKBOARDS, COATROBE HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC UNITS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK AND CASEWORK.


REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES


123123.A1 CUBICLE CURTAIN TRACK ASSEMBLY ABOVE (TYPE 1).

TA-#/TA-#1 SEMI-RECESSED DETECTION FIRE EXTINGUISHER CABINET WITH FIRE EXTINGUISHER. MOUNT AT 4'-0" TO TOP OF FIRE EXTINGUISHER.


PLUMB.01 FLOOR DRAIN CENTERED IN ROOM (REFER TO PLUMBING DRAWINGS).




8 TYPICAL ENLARGED PATIENT TOILET/ SHOWER




7 ENLARGED PATIENT TOILET




6 ENLARGED STAFF TOILET




5 ENLARGED ACCESSIBLE STAFF TOILET/ SHOWER




4 ENLARGED STAFF TOILET



3 ENLARGED STAFF TOILET



2 ENLARGED NOURISH/ PATIENT TOILET



1 ENLARGED MALE/FEMALE TOILETS

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION


ENLARGED FLOOR PLANS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246


A4.2



3 ENLARGED FLOOR PLAN - RECEPTION



2 ENLARGED FLOOR PLAN - TYPICAN NURSE STATION



1 TYPICAL ENLARGED SECLUSION/PATIENT TOILET

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DESIGNATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE 4 UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE 2 UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102000 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAM" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARD, CHALKBOARDS, TACKBOARDS, COATROBE HOOKS, WALL MOUNTED EQUIPMENT, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS, AND/OR OTHER A/V EQUIPMENT, ARTWORK, AND CASEWORK.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

102123.A1 CUBICLE CURTAIN TRACK ASSEMBLY ABOVE (TYPE 1).
PLUMB.B1 FLOOR DRAIN CENTERED IN ROOM (REFER TO PLUMBING DRAWINGS).

LIFE SAFETY PARTITION LEGEND

1-HOUR FIRE BARRIER — 1-HOUR SMOKE BARRIER

PLAN LEGEND



STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION


ENLARGED FLOOR PLANS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246


A4.3




12 PLAN DETAIL
A4.8 1 1/2" = 1'-0"




11 PLAN DETAIL
A4.8 1 1/2" = 1'-0"




10 PLAN DETAIL
A4.8 1 1/2" = 1'-0"




9 PLAN DETAIL
A4.8 1 1/2" = 1'-0"




8 PLAN DETAIL
A4.8 1 1/2" = 1'-0"




7 PLAN DETAIL
A4.8 1 1/2" = 1'-0"




6 PLAN DETAIL
A4.8 1 1/2" = 1'-0"




5 PLAN DETAIL
A4.8 1 1/2" = 1'-0"




4 PLAN DETAIL
A4.8 1 1/2" = 1'-0"



3 PLAN DETAIL
A4.8 1 1/2" = 1'-0"



2 PLAN DETAIL
A4.8 1 1/2" = 1'-0"



1 PLAN DETAIL
A4.8 1 1/2" = 1'-0"

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE 4 UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE 2 UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.

CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATROBE HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK, AND SIGNAGE.

REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES

054000.A2	6" METAL STUDS.
054200.A2	3 5/8" METAL STUD FRAMING.
061000.A2	WOOD BLOCKING.
061640.A1	5/8" CONTINUOUS EXTERIOR SHEATHING BOARD.
072100.A3	PROVIDE CURTAIN WALL SPANDREL INSULATION (TYPE 4) BEHIND ALL SPECIFIED LOCATIONS OF SPANDREL GLASS (REFERENCE SPECIFICATION SECTION 088000).
072200.A2	EXTERIOR INSULATION AND FINISH SYSTEM. PROVIDE CONTROL JOINTS AS SHOWN ON EXTERIOR ELEVATIONS.
072500.A1	FLUID APPLIED WEATHER RESISTANT MEMBRANE.
077100.A2	PREFINISHED STEEL SHEET METAL COPING/CAP/ PROTECTION COVER INSTALLED FROM GRADE TO 10'-0" ABOVE FINISH FLOOR. COLOR TO BE SELECTED BY ARCHITECT.
077100.A3	22 GA. STEEL 4" X 5" DOWNSPOUT WITH KYNAR 500 FINISH. COLOR TO BE SELECTED BY ARCHITECT.
092900.A1	5/8" GYPSUM WALLBOARD. REFER TO PARTITION TYPES SHEET A2.2.
101400	CORNER GUARD (REFER TO EXTERIOR ENCLOSURE DRAWINGS)

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION


PLAN DETAILS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246


A4.8



11 PLAN DETAIL



10 PLAN DETAIL



9 PLAN DETAIL

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT (INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
5. PROVIDE MOISTURE RESISTANT GYPSUM BOARD BEHIND AND WITHIN THREE FEET OF ANY PLUMBING FIXTURE TO A HEIGHT OF 6'-0" A.F.F.
6. ALL INTERIOR PARTITIONS SHALL BE PARTITION TYPE 4 UNLESS OTHERWISE NOTED. EXCEPTION: AT LOCATIONS WHERE ONE SIDE OF INTERIOR PARTITION FACES AN UNOCCUPIABLE SPACE, THE INTERIOR PARTITION SHALL BE TYPE 2 UNLESS OTHERWISE NOTED.
7. REFERENCE SPECIFICATION SECTION 102800 FOR TOILET ACCESSORY ITEMS DENOTED WITH A "TAP" TAG ON THE ENLARGED FLOOR PLANS.
8. REFERENCE PARTIAL FLOOR PLAN SHEETS FOR TYPICAL EXTERIOR WINDOW ROUGH OPENING DIMENSIONS.
9. PROVIDE CEMENTITIOUS FIREPROOFING MATERIAL AT ALL ASSEMBLIES NOTED WITH SPECIFICATION SECTION 078100.


CONTRACTOR SHALL PROVIDE, COORDINATE AND INSTALL BLOCKING FOR THE FOLLOWING OWNER/CONTRACTOR FURNISHED ITEMS AS SCHEDULED:

TOILET ACCESSORIES, WALL STOPS, MIRRORS, MARKERBOARDS, CHALKBOARDS, TACKBOARDS, COATROOM HOOKS, WALL MOUNTED EQUIPMENT, DIAGNOSTIC SETS, SHARPS CONTAINERS, MONITORS, TELEVISIONS, CAMERAS, PROJECTORS AND/OR OTHER A/V EQUIPMENT, ARTWORK, AND SIGNAGE.


REFER TO EQUIPMENT LIST AND PROJECT MANUAL FOR ADDITIONAL BLOCKING REQUIREMENTS.

FLOOR PLAN KEYNOTES


054000.A5	3 5/8" METAL STUD FRAMING.
061600.A1	1/2" CONTINUOUS EXTERIOR SHEATHING BOARD.
072500.A1	FLUID APPLIED WEATHER RESISTANT MEMBRANE.
074213.A1	METAL WALL PANELS (TYPE A2 AND OTHER).
092216.A5	3 5/8" METAL STUDS AT 1'-4" O.C. MAXIMUM.
092900.A1	5/8" GYPSUM WALLBOARD. REFER TO PARTITION TYPES SHEET A4.0.
093562.A5	1" GYPSUM WALLBOARD SHAFT LINER PANELS.
C.B.9	CORNER GUARD (REFER TO INTERIOR DESIGN DRAWINGS)




8 PLAN DETAIL




7 PLAN DETAIL




6 PLAN DETAIL - (ABOVE)




5 PLAN DETAIL - (BELOW)




4 PLAN DETAIL



3 PLAN DETAIL



2 PLAN DETAIL



1 PLAN DETAIL

LIFE SAFETY PARTITION LEGEND

PLAN LEGEND



STENGEL HILL ARCHITECTURE

615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

PLAN DETAILS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA


07 Sept 2023
AHC2246

A4.9



1 CEILING PLAN - COMPOSITE

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL
ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1675
502.893.1676 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

COMPOSITE CEILING PLAN
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.1



1 CEILING PLAN - ENLARGED - AREA 'A1'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR COORDINATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.


CEILING KEYNOTES

ST-04/FC-AC	EXTERIOR INSULATION AND FINISH SYSTEM. PROVIDE CONTROL JOINTS (CJ) AND REVEALS (RV) AS INDICATED ON EXTERIOR ELEVATIONS.
ST-MT/LA-1	METAL WALL PANELS (TYPE AS INDICATED)
ST-EP/LA-1	EXPANSION JOINT COVER ASSEMBLY (TYP) AT BETWEEN ACOUSTICAL CEILING TILE AND FACE OF GYPSUM WALLBOARD SOFFIT, FULL WIDTH OF CONNECTOR CORIDOR.
GB-GB/GB-1	5/8" PAINTED EXTERIOR GYPSUM BOARD SOFFIT
EL/EC1-AT	EXTERIOR SURFACE MOUNTED LIGHT FIXTURE (REFER TO ELECTRICAL DRAWINGS) (ELEC)
EL/EC1-AR	EXTERIOR WALL MOUNTED LIGHT FIXTURE INSTALLED AT 78"-8 A.F.F. UNLESS NOTED OTHERWISE (REFER TO ELECTRICAL DRAWINGS)

CEILING LEGEND



KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED CEILING PLAN - AREA 'A1'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.1.A.1



1 CEILING PLAN - ENLARGED - AREA 'A2'

1/8" = 1'-0"

NORTH

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES


074213.A1	METAL WALL PANELS (TYPE AS INDICATED).
092900.B6	5/8" PAINTED EXTERIOR GYPSUM BOARD SOFFIT.
ELECT.A7	EXTERIOR SURFACE MOUNTED LIGHT FIXTURE (REFER TO ELECTRICAL DRAWINGS) (ELEC)
ELECT.A6	EXTERIOR WALL MOUNTED LIGHT FIXTURE INSTALLED AT 10'-6 A.F.F. UNLESS NOTED OTHERWISE (REFER TO ELECTRICAL DRAWINGS).

CEILING LEGEND

2' X 4' FLUORESCENT LIGHT	1' X 4' FLUORESCENT LIGHT	CHAIN-HUNG LIGHT	RECESSED LIGHT
2' X 2' FLUORESCENT LIGHT	SUPPLY AIR DIFFUSER	RETURN AIR GRILLE	EXHAUST AIR GRILLE
EXIT SIGN	SECURITY CAMERA	PENDANT LIGHT	2' X 4' ACOUSTIC PANEL

KEYPLAN

NOT TO SCALE



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
613 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1875
502.893.1876 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERING, P.S.

Mechanical/Electrical Engineering
CMTA

Interior Design

ACADIA HEALTHCARE


50% CD SET - NOT FOR CONSTRUCTION

ENLARGED CEILING PLAN - AREA 'A2'

NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC224E

A5.1.A.2



1 ENLARGED CEILING PLAN - ENTRANCE CANOPY

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.


CEILING KEYNOTES

07421300	METAL WALL PANELS (TYPE AS INDICATED)
09260000	WET PAINTED EXTERIOR GYPSUM BOARD SOFFIT
ELECT-07	EXTERIOR SURFACE MOUNTED LIGHT FIXTURE (REFER TO ELECTRICAL DRAWINGS LIGHT

CEILING LEGEND



KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED CEILING PLAN - AREA 'A3'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.1.A.3



1 CEILING PLAN - ENLARGED - AREA 'B1'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ACCESSIBLES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES

054213.A1	METAL WALL PANELS (TYPE AS INDICATED)
092902.B6	MOISTURE RESISTANT GYPSUM BOARD SOFFIT
095113.A5	NO CEILING PROVIDED IN THIS SPACE - OPEN TO STRUCTURE ABOVE
095113.B2	ADJUT ACOUSTICAL CEILING SYSTEM TO KITCHEN EQUIPMENT
ELECT.A1	EXTERIOR SURFACE MOUNTED LIGHT FIXTURE (REFER TO ELECTRICAL DRAWINGS) (ELECT
ELECT.A5	EXTERIOR WALL MOUNTED LIGHT FIXTURE INSTALLED AT 18'-6 A.F.F. UNLESS NOTED OTHERWISE (REFER TO ELECTRICAL DRAWINGS)
MECH.B1	KITCHEN HOOD (REFER TO MECHANICAL DRAWINGS)

CEILING LEGEND

2'X4' FLUORESCENT LIGHT
1'X4' FLUORESCENT LIGHT
CHANDELIER LIGHT
RECESSED LIGHT
2'X2' FLUORESCENT LIGHT
SUPPLY AIR DIFFUSER
RETURN AIR GRILLE
EXHAUST AIR GRILLE
EXIT SIGN
SECURITY CAMERA
PENDANT LIGHT
2'X4' ACOUSTIC PANEL

KEYPLAN

NOT TO SCALE

'C1' 'D1'
'C2' 'C3' 'D3' 'D2' Future
'B2' 'B1' 'A2' 'A1' 'E2' 'E1'
'A3'

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED CEILING PLAN - AREA 'B1'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.1.B.1



1 CEILING PLAN - ENLARGED - AREA 'B2'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES


074213.A1	METAL WALL PANELS (TYPE AS INDICATED).
079513.A6	2" EXPANSION JOINT COVER ASSEMBLY. PROVIDE TYPE AS INDICATED.
092900.B5	5/8" PAINTED EXTERIOR GYPSUM BOARD SOFFIT.
095113.A0	NO CEILING PROVIDED IN THIS SPACE. OPEN TO STRUCTURE ABOVE.

CEILING LEGEND

2' X 4' FLUORESCENT LIGHT	1' X 4' FLUORESCENT LIGHT	CHAIN-HUNG LIGHT	RECESSED LIGHT
2' X 2' FLUORESCENT LIGHT	SUPPLY AIR DIFFUSER	RETURN AIR GRILLE	EXHAUST AIR GRILLE
EXIT SIGN	SECURITY CAMERA	PENDANT LIGHT	2' X 4' ACOUSTIC PANEL

KEYPLAN

NOT TO SCALE



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
613 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1875
502.893.1876 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERING, P.S.

Mechanical/Electrical Engineering
CMTA

Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED CEILING PLAN - AREA 'B2'

NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC224E

A5.1.B.2



1 CEILING PLAN - ENLARGED - AREA 'C1'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR COORDINATION OF ALL ACCESSIBLE WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND OWNERS PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND OWNERS SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES

(NONE) SAY PAINTED EXTERIOR GYPSUM BOARD SOFFIT.
(NONE) EXTERIOR WALL MOUNTED LIGHT FIXTURE INSTALLED AT 10'-0" A.F.F. UNLESS NOTED OTHERWISE (REFER TO ELECTRICAL DRAWINGS).

CEILING LEGEND

2' X 4' FLUORESCENT LIGHT
1' X 4' FLUORESCENT LIGHT
CHAIN HUNG LIGHT
RECESSED LIGHT
3' X 3' FLUORESCENT LIGHT
SUPPLY AIR DIFFUSER
RETURN AIR GRILLE
EXHAUST AIR GRILLE
EXIT SIGN
SECURITY CAMERA
PENDANT LIGHT
2' X 4' ACOUSTIC PANEL

KEYPLAN

NOT TO SCALE

'C1' 'D1'
'C2' 'C3' 'D3' 'D2' Future
'B2' 'B1' 'A2' 'A1' 'E2' 'E1'
'A3'

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

50% CD SET - NOT FOR CONSTRUCTION

ACADIA HEALTHCARE

ENLARGED CEILING PLAN - AREA 'C1'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.1.C.1



1 CEILING PLAN - ENLARGED - AREA 'C2'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR COORDINATION OF ALL ACCESSIBLES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND EQUIPMENT PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND EQUIPMENT SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.


CEILING KEYNOTES

07.24F5.AE	EXTERIOR INSULATION AND FINISH SYSTEM. PROVIDE CONTROL JOINTS (CJ) AND REVEALS (REV) AS INDICATED ON EXTERIOR ELEVATIONS.
09.29.00.EB	5/8" PAINTED EXTERIOR GYPSUM BOARD SOFFIT
09.51.13.AE	NO CEILING PROVIDED IN THIS SPACE. OPEN TO STRUCTURE ABOVE.
ELEC7.AE	EXTERIOR WALL MOUNTED LIGHT FIXTURE INSTALLED AT 19'-6" A.F.F. UNLESS NOTED OTHERWISE (REFER TO ELECTRICAL DRAWINGS).

CEILING LEGEND



KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED CEILING PLAN - AREA 'C2'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.1.C.2



1 CEILING PLAN - ENLARGED - AREA 'C3'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR COORDINATION OF ALL ACCESSIBLES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND EQUIPMENT PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND EQUIPMENT SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.


CEILING KEYNOTES

09290.09	SW PAINTED EXTERIOR GYPSUM BOARD SOFFIT.
ELECT.-M	EXTERIOR WALL MOUNTED LIGHT FIXTURE INSTALLED AT 16'-0" A.F.F. UNLESS NOTED OTHERWISE (REFER TO ELECTRICAL DRAWINGS).

CEILING LEGEND



KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED CEILING PLAN - AREA 'C3'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.1.C.3



1 CEILING PLAN - ENLARGED - AREA 'D1'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ACCESSIBLE WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES

[illegible] SW PAINTED EXTERIOR GYPSUM BOARD SOFFIT.

ELECT.-01 EXTERIOR WALL MOUNTED LIGHT FIXTURE INSTALLED AT 10'-0 A.F.F. UNLESS NOTED OTHERWISE (REFER TO ELECTRICAL DRAWINGS).

CEILING LEGEND

2' X 4' FLUORESCENT LIGHT
1' X 4' FLUORESCENT LIGHT
CHAIN HUNG LIGHT
RECESSED LIGHT
2' X 2' FLUORESCENT LIGHT
SUPPLY AIR DIFFUSER
RETURN AIR GRILLE
EXHAUST AIR GRILLE
EXIT SIGN
SECURITY CAMERA
PENDANT LIGHT
2' X 4' ACOUSTIC PANEL

KEYPLAN

NOT TO SCALE

'C1' 'D1'
'C2' 'C3' 'D3' 'D2' Future
'B2' 'B1' 'A2' 'A1' 'E2' 'E1'
'A3'

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED CEILING PLAN - AREA 'D1'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.1.D.1



1 CEILING PLAN - ENLARGED - AREA 'D2'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ACCESSIBLES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES


072405.AE	EXTERIOR INSULATION AND FINISH SYSTEM. PROVIDE CONTROL JOINTS (CJ) AND REVEALS (RV) AS INDICATED ON EXTERIOR ELEVATIONS.
092900.EW	5/8" PAINTED EXTERIOR GYPSUM BOARD SOFFIT
095115.AE	NO CEILING PROVIDED IN THIS SPACE. OPEN TO STRUCTURE ABOVE.

CEILING LEGEND



KEYPLAN

NOT TO SCALE



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED CEILING PLAN - AREA 'D2'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.1.D.2



1 CEILING PLAN - ENLARGED - AREA 'D3'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ACCESSIBLE WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.


CEILING KEYNOTES

ELECT.A6 EXTERIOR WALL MOUNTED LIGHT FIXTURE INSTALLED AT 18'-0 A.F.F. UNLESS NOTED OTHERWISE (REFER TO ELECTRICAL DRAWINGS)

CEILING LEGEND



KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED CEILING PLAN - AREA 'D3'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.1.D.3



1 CEILING PLAN - ENLARGED - AREA 'E1'


GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES


GN11.0.40 NO CEILING PROVIDED IN THIS SPACE. OPEN TO STRUCTURE ABOVE.

CEILING LEGEND



KEYPLAN

NOT TO SCALE



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED CEILING PLAN - AREA 'E1'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.1.E.1



1 CEILING PLAN - ENLARGED - AREA 'E1'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ACCESSIBLES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES


GR11149 NO CEILING PROVIDED IN THIS SPACE. OPEN TO STRUCTURE ABOVE.

ADDED DOWNSPOUTS AND DIMS FOR THE CANOPY

CEILING LEGEND



KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

NOT FOR CONSTRUCTION

ENLARGED CEILING PLAN - AREA 'E1'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

22 August 2023
AHC2246

A5.1.E.1



1 CEILING PLAN - ENLARGED - AREA 'E2'


GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.


CEILING KEYNOTES

EIFS#5.AE	EXTERIOR INSULATION AND FINISH SYSTEM. PROVIDE CONTROL JOINTS (CJ) AND REVEALS (RV) AS INDICATED ON EXTERIOR ELEVATIONS.
SOFFIT.EX	5/8" PAINTED EXTERIOR GYPSUM BOARD SOFFIT.
ELECT.AE	EXTERIOR WALL MOUNTED LIGHT FIXTURE INSTALLED AT 10'-0" A.F.F. UNLESS NOTED OTHERWISE (REFER TO ELECTRICAL DRAWINGS).

CEILING LEGEND



KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ENLARGED CEILING PLAN - AREA 'E2'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.1.E.2

GENERAL NOTES


1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR COORDINATION OF ALL ACCESSIBLES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES

ST09CA1	MINERAL WOOL ACOUSTIC INSULATION (TYPE 2).
ST09CA.06	2" EXPANSION JOINT COVER ASSEMBLY. PROVIDE TYPE AS INDICATED.
092216.A1	5 MBT METAL STUDS AT 7'-0" O.C. DIAGONAL BRACE TO STRUCTURE ABOVE AS REQUIRED.
092900.A1	5/8" GYPSUM WALLBOARD. REFER TO PARTITION TYPES SHEET A3.2.
095113.A1	SUSPENDED ACOUSTICAL CEILING TILE SYSTEM.
102226.A6	OPERABLE PARTITION CEILING TRACK ASSEMBLY. REFER TO STRUCTURAL DRAWINGS FOR SUPPORT DETAIL.
ELEC01.05	RECESSED LIGHT FIXTURE (REFER TO ELECTRICAL DRAWINGS)
STRUC4.01	STRUCTURAL STEEL FRAMING (REFER TO STRUCTURAL DRAWINGS)




12 SOFFIT DETAIL




11 SOFFIT DETAIL



10 SOFFIT DETAIL



09 SOFFIT DETAIL



07 SOFFIT DETAIL




06 SOFFIT DETAIL




05 SOFFIT DETAIL

CEILING LEGEND







04 SOFFIT DETAIL



03 SOFFIT DETAIL



02 SOFFIT DETAIL



01 SOFFIT DETAIL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

CEILING DETAILS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC224E

A5.3




1 ENLARGED ACOUSTICAL PANEL CEILING PLAN - AREA 'A1'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ACCESSIBLES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.


CEILING KEYNOTES

CEILING LEGEND



KEYPLAN

NOT TO SCALE



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ACOUSTICAL PANEL CEILING PLAN - AREA 'A1'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.4.A.1



1 ENLARGED ACOUSTICAL PANEL CEILING PLAN - AREA 'A2'
AREA A2 — SCALE: 1/8" = 1'-0" — NORTH

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES

CEILING LEGEND

2'X4' FLUORESCENT LIGHT
2'X4' FLUORESCENT LIGHT
CHAIN HUNG LIGHT
RECESSED LIGHT
2'X2' FLUORESCENT LIGHT
SUPPLY AIR DIFFUSER
RETURN AIR GRILLE
EXHAUST AIR GRILLE
EXIT SIGN
SECURITY CAMERA
PENDANT LIGHT
2'X4' ACOUSTIC PANEL

KEYPLAN

NOT TO SCALE

'C2' 'D2'
'C2' 'C3' 'D3' 'D2' Future
'B2' 'B1' 'A2' 'A1' 'E2' 'E1'
'A3'

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ACOUSTICAL PANEL CEILING PLAN - AREA 'A2'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.4.A.2



1 ENLARGED ACOUSTICAL PANEL CEILING PLAN - AREA 'C2'


GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR COORDINATION OF ALL ACCESSIBLES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES

CEILING LEGEND

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

50% CD SET - NOT FOR CONSTRUCTION

ACADIA HEALTHCARE

ACOUSTICAL PANEL CEILING PLAN - AREA 'C2'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.4.C.2



1 ENLARGED ACOUSTICAL PANEL CEILING PLAN - AREA 'C3'

GENERAL NOTES


1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ACCESSIBLES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND OWNER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND OWNER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES

CEILING LEGEND



KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ACOUSTICAL PANEL CEILING PLAN - AREA 'C3'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.4.C.3



1 ENLARGED ACOUSTICAL PANEL CEILING PLAN - AREA 'D1'

GENERAL NOTES


1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES

CEILING LEGEND



KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL


STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design
ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ACOUSTICAL PANEL CEILING PLAN - AREA 'D1'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.4.D.1



1 ENLARGED ACOUSTICAL PANEL CEILING PLAN - AREA 'D2'

GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE PROJECT.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES

CEILING LEGEND

KEYPLAN

NOT TO SCALE

'C1' 'D1'
'C2' 'C3' 'D3' 'D2' Future
'B2' 'B1' 'A2' 'A1' 'E2' 'E1'
'A3'

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

ACOUSTICAL PANEL CEILING PLAN - AREA 'D2'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.4.D.2



1 ENLARGED ACOUSTICAL PANEL CEILING PLAN - AREA 'D3'


GENERAL NOTES

1. REFERENCE STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND FOOD SERVICE DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNERS AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ARCHITECTURAL CEILING PLAN SHALL GOVERN OVER MECHANICAL, PLUMBING, AND ELECTRICAL PLANS REGARDING EXACT LOCATIONS OF CEILING GRID, LIGHT FIXTURES, DIFFUSERS, AND OTHER CEILING MOUNTED ITEMS. DISCREPANCIES IN QUANTITY AND/OR ORIENTATION BETWEEN ARCHITECTURAL, ELECTRICAL, MECHANICAL AND/OR PLUMBING DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO SUBMISSION OF PRICING. CONTRACTOR SHALL VERIFY FINAL LOCATIONS OF ALL CEILING AND WALL MOUNTED ITEMS WITH ARCHITECT AND ENGINEER PRIOR TO COMMENCEMENT OF WORK. ANY ITEMS INCORRECTLY PLACED WITHOUT VERIFICATION FROM ARCHITECT AND ENGINEER SHALL BE RELOCATED PER DIRECTION OF ARCHITECT AT NO EXPENSE TO THE OWNER.
4. ALL CEILING MOUNTED ITEMS (LIGHT FIXTURES, SPRINKLER HEADS, ETC.) SHALL BE CENTERED IN CEILING TILES, SOFFITS, OR GYPSUM WALLBOARD CEILINGS AND/OR ALIGNED WITH ADJACENT CEILING MOUNTED ITEMS UNLESS OTHERWISE NOTED.
5. GYPSUM WALLBOARD AND ACOUSTICAL INSULATION SHALL EXTEND TO 6" ABOVE CEILING IN ALL LOCATIONS UNLESS OTHERWISE NOTED.
6. A CUT 2'-0" X 4'-0" CEILING TILE SHALL BE USED IN ANY ROOM WHERE 2'-0" X 2'-0" CEILING GRID CREATES AN EDGE CONDITION OF A CEILING TILE BEING LESS THAN 6".
7. ALL DIMENSIONS ARE FROM FINISHED FACE OF WALL TO FINISHED FACE OF WALL UNLESS OTHERWISE NOTED.
8. ALL DROP SOFFITS ARE AT 7'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
9. ALL CEILING HEIGHTS ARE AT 9'-0" A.F.F. UNLESS OTHERWISE NOTED OR APPROVED BY ARCHITECT.
10. SOFFIT AT CASEWORK SHALL EXTEND BEYOND CASEWORK BY 2" UNLESS OTHERWISE NOTED.

CEILING KEYNOTES

CEILING LEGEND

KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION


ACOUSTICAL PANEL CEILING PLAN - AREA 'D3'
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A5.4.D.3



03 ELEVATION - Scupper Details




02 SCUPPER - TYPICAL PLAN DETAIL

GENERAL NOTES

1. REFERENCE CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. COORDINATE LOCATIONS OF MECHANICAL, PLUMBING, AND/OR ELECTRICAL ROOF PENETRATIONS, CURBS, AND/OR EQUIPMENT WITH ARCHITECT AND MEP ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION.
4. TYPICAL ROOF SLOPE SHALL BE 1/4"/1'.
5. MINIMUM THICKNESS OF ROOF INSULATION SHALL BE 2" AT ROOF DRAINS.


ROOF PLAN KEYNOTES

054000.A2	6" METAL STUDS
061000.A2	11/2 DD BLOCKING
061643.A1	1/2" CONTINUOUS EXTERIOR SHEATHING BOARD.
061643.A2	5/8" EXTERIOR GYPSUM SHEATHING BOARD.
072100.A2	SPRAY APPLIED CLOSED CELL POLYURETHANE FOAM INSULATION (TYPE 3).
072400.A2	EXTERIOR INSULATION AND FINISH SYSTEM. PROVIDE CONTROL JOINTS (EJ) AND REVEALS (RV) AS INDICATED ON EXTERIOR ELEVATIONS.
072500.A1	FLUID APPLIED WEATHER RESISTANT MEMBRANE.
075423.A2	60 MIL TPO MEMBRANE ROOFING TURNED UP UNDER COPING TO FACE OF METAL PANEL OR BRICK.
077100.A2	22 GA. STEEL 4" X 5" SWAN/GROUT WITH KYNAR 500 FINISH. COLOR TO BE SELECTED BY ARCHITECT.
077100.A6	PREFABRICATED METAL COMBINATION ROOF DRAIN/SCUPPER/LOW GRADE SCUPPER ASSEMBLY.
133419.A1	PRE-ENGINEERED METAL BUILDING SYSTEM.
265727.A6	EXTERIOR WALL MOUNTED LIGHT FIXTURE INSTALLED AT 10'-6" A.F.F. UNLESS NOTED OTHERWISE (REFER TO ELECTRICAL DRAWINGS).



01 ROOF PLAN

ROOF SYSTEM DIAGRAMS



STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION


ROOF PLAN
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A6.1



03 ELEVATION - Scupper Details




02 SCUPPER - TYPICAL PLAN DETAIL

GENERAL NOTES

1. REFERENCE CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. COORDINATE LOCATIONS OF MECHANICAL, PLUMBING, AND/OR ELECTRICAL ROOF PENETRATIONS, CURBS, AND/OR EQUIPMENT WITH ARCHITECT AND MEP ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION.
4. TYPICAL ROOF SLOPE SHALL BE 1/4"/1'-0".
5. MINIMUM THICKNESS OF ROOF INSULATION SHALL BE 2" AT ROOF DRAINS.


ROOF PLAN KEYNOTES

AREA WITH CHANGES



01 ROOF PLAN

ROOF SYSTEM DIAGRAMS



STENGEL HILL ARCHITECTURE

615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

NOT FOR CONSTRUCTION


ROOF PLAN
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

22 August 2023
AHC2246


A6.1




07 EXTERIOR ELEVATION




06 EXTERIOR ELEVATION




05 EXTERIOR ELEVATION




04 EXTERIOR ELEVATION



03 EXTERIOR ELEVATION



02 EXTERIOR ELEVATION



01 EXTERIOR ELEVATION

GENERAL NOTES

1. REFERENCE CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
4. NO ELEMENT OF CONSTRUCTION SHALL BE ADDED TO THE EXTERIOR OF THE BUILDING WITHOUT APPROVAL OF THE ARCHITECT. ALL EXTERIOR ELEMENTS NOT SHOWN ON THE ELEVATIONS SHALL BE COORDINATED WITH THE ARCHITECT, AND FINAL LOCATIONS APPROVED BY THE ARCHITECT.
5. COORDINATE PLACEMENT OF MASONRY CONTROL JOINTS WITH ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION. CONTROL JOINTS SHALL BE WHERE INDICATED BY CJ AND/OR SPACING SHALL NOT EXCEED 30'-0".
6. REFER TO AS 1.2 SECURITY PROVISIONS PLAN FOR LOCATION AND EXTENT OF HIGH IMPACT EIFS INSTALLATION. REFER TO BUILDING SECTIONS AND DETTEN DETAILS FOR EIFS THICKNESS AND LOCATION.

ELEVATION KEYNOTES

MATERIAL LEGEND

KEYPLAN

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL
ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

EXTERIOR ELEVATIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246


A7.1




07 EXTERIOR ELEVATION




06 EXTERIOR ELEVATION




05 EXTERIOR ELEVATION




04 EXTERIOR ELEVATION



03 EXTERIOR ELEVATION



02 EXTERIOR ELEVATION



01 EXTERIOR ELEVATION

GENERAL NOTES

1. REFERENCE CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
4. NO ELEMENT OF CONSTRUCTION SHALL BE ADDED TO THE EXTERIOR OF THE BUILDING WITHOUT APPROVAL OF THE ARCHITECT. ALL EXTERIOR ELEMENTS NOT SHOWN ON THE ELEVATIONS SHALL BE COORDINATED WITH THE ARCHITECT, AND FINAL LOCATIONS APPROVED BY THE ARCHITECT.
5. COORDINATE PLACEMENT OF MASONRY CONTROL JOINTS WITH ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION. CONTROL JOINTS SHALL BE WHERE INDICATED BY CJ AND/OR SPACING SHALL NOT EXCEED 30'-0".
6. REFER TO AS-1.2 SECURITY PROVISIONS PLAN FOR LOCATION AND EXTENT OF HIGH IMPACT EIFS INSTALLATION. REFER TO BUILDING SECTIONS AND DETTEN DETAILS FOR EIFS THICKNESS AND LOCATION.

ELEVATION KEYNOTES

BRICK STOPS AT 12'FT AND CHANGES TO EIFS

MATERIAL LEGEND



KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1878 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

NOT FOR CONSTRUCTION


EXTERIOR ELEVATIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

22 August 2023
ArtC2246


A7.1




05 EXTERIOR ELEVATION
A7.2 1/8" = 1'-0"




04 EXTERIOR ELEVATION
A7.2 1/8" = 1'-0"



03 EXTERIOR ELEVATION
A7.2 1/8" = 1'-0"



02 EXTERIOR ELEVATION
A7.2 1/8" = 1'-0"



01 EXTERIOR ELEVATION
A7.2 1/8" = 1'-0"

GENERAL NOTES


1. REFERENCE CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
4. NO ELEMENT OF CONSTRUCTION SHALL BE ADDED TO THE EXTERIOR OF THE BUILDING WITHOUT APPROVAL OF THE ARCHITECT. ALL EXTERIOR ELEMENTS NOT SHOWN ON THE ELEVATIONS SHALL BE COORDINATED WITH THE ARCHITECT, AND FINAL LOCATIONS APPROVED BY THE ARCHITECT.
5. COORDINATE PLACEMENT OF MASONRY CONTROL JOINTS WITH ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION. CONTROL JOINTS SHALL BE WHERE INDICATED BY CJ AND/OR SPACING SHALL NOT EXCEED 30'-0".
6. REFER TO AS 1.2 SECURITY PROVISIONS PLAN FOR LOCATION AND EXTENT OF HIGH IMPACT EIFS INSTALLATION. REFER TO BUILDING SECTIONS AND DETAILS FOR EIFS THICKNESS AND LOCATION.

ELEVATION KEYNOTES

MATERIAL LEGEND



KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION


EXTERIOR ELEVATIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246


A7.2



07 EXTERIOR ELEVATION




06 EXTERIOR ELEVATION




05 EXTERIOR ELEVATION




04 EXTERIOR ELEVATION



03 EXTERIOR ELEVATION



02 EXTERIOR ELEVATION



01 EXTERIOR ELEVATION


GENERAL NOTES

1. REFERENCE CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
4. NO ELEMENT OF CONSTRUCTION SHALL BE ADDED TO THE EXTERIOR OF THE BUILDING WITHOUT APPROVAL OF THE ARCHITECT. ALL EXTERIOR ELEMENTS NOT SHOWN ON THE ELEVATIONS SHALL BE COORDINATED WITH THE ARCHITECT, AND FINAL LOCATIONS APPROVED BY THE ARCHITECT.
5. COORDINATE PLACEMENT OF MASONRY CONTROL JOINTS WITH ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION. CONTROL JOINTS SHALL BE WHERE INDICATED BY CJ AND/OR SPACING SHALL NOT EXCEED 30'-0".
6. REFER TO AS-1.2 SECURITY PROVISIONS PLAN FOR LOCATION AND EXTENT OF HIGH IMPACT EIFS INSTALLATION. REFER TO BUILDING SECTIONS AND DETTEN DETAILS FOR EIFS THICKNESS AND LOCATION.

ELEVATION KEYNOTES

KEYPLAN

NOT TO SCALE



NEW BEHAVIORAL HEALTH HOSPITAL

MATERIAL LEGEND



STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION


EXTERIOR ELEVATIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246


A7.3



07 EXTERIOR ELEVATION




06 EXTERIOR ELEVATION




05 EXTERIOR ELEVATION




04 EXTERIOR ELEVATION



03 EXTERIOR ELEVATION



02 EXTERIOR ELEVATION



01 EXTERIOR ELEVATION

GENERAL NOTES


1. REFERENCE CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
4. NO ELEMENT OF CONSTRUCTION SHALL BE ADDED TO THE EXTERIOR OF THE BUILDING WITHOUT APPROVAL OF THE ARCHITECT. ALL EXTERIOR ELEMENTS NOT SHOWN ON THE ELEVATIONS SHALL BE COORDINATED WITH THE ARCHITECT, AND FINAL LOCATIONS APPROVED BY THE ARCHITECT.
5. COORDINATE PLACEMENT OF MASONRY CONTROL JOINTS WITH ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION. CONTROL JOINTS SHALL BE WHERE INDICATED BY CI AND/OR SPACING SHALL NOT EXCEED 30'-0".
6. REFER TO AS L1.2 SECURITY PROVISIONS PLAN FOR LOCATION AND EXTENT OF HIGH IMPACT EIFS INSTALLATION. REFER TO BUILDING SECTIONS AND DETTEN DETAILS FOR EIFS THICKNESS AND LOCATION.

ELEVATION KEYNOTES

BRICK STOPS AT 12'FT AND CHANGES TO EIFS

KEYPLAN

NOT TO SCALE



NEW BEHAVIORAL HEALTH HOSPITAL

MATERIAL LEGEND



STENGEL HILL ARCHITECTURE

615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

NOT FOR CONSTRUCTION

EXTERIOR ELEVATIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

22 August 2023
AHC2246

A7.3



07 SCREEN WALL EXTERIOR ELEVATION

06 SCREEN WALL EXTERIOR ELEVATION

05 SCREEN WALL EXTERIOR ELEVATION

04 EXTERIOR ELEVATION

03 EXTERIOR ELEVATION

02 EXTERIOR ELEVATION

01 EXTERIOR ELEVATION

GENERAL NOTES

1. REFERENCE CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
4. NO ELEMENT OF CONSTRUCTION SHALL BE ADDED TO THE EXTERIOR OF THE BUILDING WITHOUT APPROVAL OF THE ARCHITECT. ALL EXTERIOR ELEMENTS NOT SHOWN ON THE ELEVATIONS SHALL BE COORDINATED WITH THE ARCHITECT, AND FINAL LOCATIONS APPROVED BY THE ARCHITECT.
5. COORDINATE PLACEMENT OF MASONRY CONTROL JOINTS WITH ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION. CONTROL JOINTS SHALL BE WHERE INDICATED BY CJ AND/OR SPACING SHALL NOT EXCEED 30'-0".
6. REFER TO AS-1.2 SECURITY PROVISIONS PLAN FOR LOCATION AND EXTENT OF HIGH IMPACT EIFS INSTALLATION. REFER TO BUILDING SECTIONS AND DETAILS FOR EIFS THICKNESS AND LOCATION.

ELEVATION KEYNOTES

MATERIAL LEGEND

KEYPLAN

NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design
STENGEL HILL ARCHITECTURE


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

EXTERIOR ELEVATIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A7.4



GENERAL NOTES


1. REFERENCE CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DELINEATION OF ALL ASSEMBLIES WITHIN THEIR RESPECTIVE PORTIONS OF WORK.
2. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
4. NO ELEMENT OF CONSTRUCTION SHALL BE ADDED TO THE EXTERIOR OF THE BUILDING WITHOUT APPROVAL OF THE ARCHITECT. ALL EXTERIOR ELEMENTS NOT SHOWN ON THE ELEVATIONS SHALL BE COORDINATED WITH THE ARCHITECT, AND FINAL LOCATIONS APPROVED BY THE ARCHITECT.
5. COORDINATE PLACEMENT OF MASONRY CONTROL JOINTS WITH ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION. CONTROL JOINTS SHALL BE WHERE INDICATED BY CJ AND/OR SPACING SHALL NOT EXCEED 30'-0".
6. REFER TO AS-1.2 SECURITY PROVISIONS PLAN FOR LOCATION AND EXTENT OF HIGH IMPACT EIFS INSTALLATION. REFER TO BUILDING SECTIONS AND DETAILS FOR EIFS THICKNESS AND LOCATION.

ELEVATION KEYNOTES

BRICK STOPS AT 12 FT AND CHANGES TO EIFS

GYM ELEVATIONS CHANGES (ADDED DOWNSPOUTS AND DIMS FOR THE CANOPY)

MATERIAL LEGEND



KEYPLAN



NEW BEHAVIORAL HEALTH HOSPITAL

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1878 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

NOT FOR CONSTRUCTION

EXTERIOR ELEVATIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

22 August 2023
AHC2246

A7.4



04 WALL SECTION

03 WALL SECTION

02 WALL SECTION

01 WALL SECTION

GENERAL NOTES

1. ALL DIMENSIONS ARE FROM FINISH FACE OF STUD TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
2. SEALANT TYPICAL AT ALL JOINTS OF ALL ASSEMBLIES.
3. ALL COLD-FORMED METAL FRAMING OUTSIDE OF BUILDING THERMAL ENVELOPE SHALL BE HOT DIP GALVANIZED. AREA OF DAMAGED OR MISSING GALVANIZED COATING SHALL BE REPAIRED WITH GALVANIZING REPAIR PAINT.

SECTION KEYNOTES

054005.AC	6" METAL STUDS
061643.AC	5/8" EXTERIOR GYPSUM SHEATHING BOARD.
072100.AC	SPRAY APPLIED CLOSED-CELL POLYURETHANE FOAM INSULATION (TYPE 2)
072105.AC	PROVIDE CURTAIN WALL SPANDREL INSULATION (TYPE 4) BEHIND ALL SPECIFIED LOCATIONS OF SPANDREL GLASS (REFERENCE SPECIFICATION SECTION 08330).
072150.BC	EXTRUDED POLYSTYRENE BOARD INSULATION (TYPE 1)
072500.AT	FLUID APPLIED WEATHER RESISTANT MEMBRANE
075422.AA	POLYISOCYANURATE ROOF INSULATION (R-30 RUBRIDGE UNLESS NOTED OTHERWISE)
076222.AA	60 MIL TPO MEMBRANE ROOFING TURNED UP UNDER COPING TO FACE OF METAL PANEL OR BRICK.
084113.AT	ALUMINUM FRAMED STOREFRONT SYSTEM ANCHORED PER INSTALLERS' APPROVED DETAILS
085500.AT	ALUMINUM FRAMED PO-WHITING WINDOW
092216.AT	3 5/8" METAL STUDS AT 7'-0" O.C. MAXIMUM. BRACE TO STRUCTURE ABOVE AS REQUIRED.
092900.AT	5/8" GYPSUM WALLBOARD. REFER TO PARTITION TYPES SHEET A3.0.
092900.BB	5/8" PAINTED EXTERIOR GYPSUM BOARD SOFFIT.

STENGEL HILL
ARCHITECTURE

615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

WALL SECTIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A8.1



05 WALL SECTION

04 WALL SECTION

03 WALL SECTION

02 WALL SECTION

01 WALL SECTION

GENERAL NOTES

1. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
2. SEALANT TYPICAL AT ALL JOINTS OF ALL ASSEMBLIES.
3. ALL COLD-FORMED METAL FRAMING OUTSIDE OF BUILDING THERMAL ENVELOPE SHALL BE HOT DIP GALVANIZED. AREA OF DAMAGED OR MISSING GALVANIZED COATING SHALL BE REPAIRED WITH GALVANIZING REPAIR PAINT

SECTION KEYNOTES

STENGEL HILL ARCHITECTURE

615 WEST MAIN STREET

LOUISVILLE, KENTUCKY 40202

502.893.1978

502.893.1979 fax

Civil Engineering

CRUNK ENGINEERING

Structural Engineering

SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering

CMTA

Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

WALL SECTIONS

NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246


A8.2

GENERAL NOTES

1. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
2. SEALANT TYPICAL AT ALL JOINTS OF ALL ASSEMBLIES.
3. ALL COLD-FORMED METAL FRAMING OUTSIDE OF BUILDING THERMAL ENVELOPE SHALL BE HOT DIP GALVANIZED. AREA OF DAMAGED OR MISSING GALVANIZED COATING SHALL BE REPAIRED WITH GALVANIZING REPAIR PAINT.

SECTION KEYNOTES

054000.A2	6" METAL STUDS
061643.A3	5/8" EXTERIOR GYPSUM SHEATHING BOARD
072100.A2	OPEN CAVITY APPLIED CLOSED CELL POLYURETHANE FOAM INSULATION (TYPE 3)
072100.B2	EXTRUDED POLYSTYRENE BOARD INSULATION (TYPE 1)
075423.A1	POLYISOCYANURATE ROOF INSULATION (R-30 AVERAGE UNLESS NOTED OTHERWISE)
075423.A2	TAPERED POLYISOCYANURATE ROOF INSULATION, 3" MINIMUM AT ROOF DRAIN
075423.A5	60 MIL TPO MEMBRANE ROOFING TURNED UP UNDER COPING TO FACE OF METAL PANEL OR BRICK
077100.A5	PREFINISHED ALUMINUM COPING SYSTEM
084113.A1	ALUMINUM FRAMED STOREFRONT SYSTEM ANCHORED PER INSTALLER'S APPROVED DETAILS
092900.A1	5/8" GYPSUM WALLBOARD, REFER TO PARTITION TYPES SHEET A2.0
095113.A1	SUSPENDED ACOUSTICAL CEILING TILE SYSTEM



04 WALL SECTION

03 WALL SECTION

02 WALL SECTION

01 WALL SECTION

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

WALL SECTIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, ICWA

07 Sept 2023
AHC2246


A8.3

GENERAL NOTES

1. ALL DIMENSIONS ARE FROM FINISH FACE OF STUD TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
2. SEALANT TYPICAL AT ALL JOINTS OF ALL ASSEMBLIES.
3. ALL FIELD-FORMED METAL FINISHED OUTSIDE OF BUILDING THERMAL ENVELOPE SHALL BE HOT-DIP GALVANIZED. AREA OF DAMAGED OR MISSING GALVANIZED COATING SHALL BE REPAIRED WITH GALVANIZING REPAIR PAINT.

SECTION KEYNOTES

09300.A2 6" METAL STUDS.
09163.A3 5/8" EXTERIOR GYPSUM SHEATHING BOARD.
07210.A2 SPRAY-APPLIED CLOSED-CELL POLYURETHANE FOAM INSULATION (TYPE 3).
07210.B2 EXTRUDED POLYSTYRENE BOARD INSULATION (TYPE 1).
07542.A3 TAPERED POLYISOCYANURATE ROOF INSULATION. 2" MINIMUM AT ROOF DRAIN.
07542.A5 60 MIL TPO MEMBRANE ROOFING TURNED UP UNDER COPING TO FACE OF METAL PANEL OR BRICK.
08411.A1 ALUMINUM-FRAMED STOREFRONT SYSTEM ANCHORED PER INSTALLER'S APPROVED DETAILS.
09260.A1 5/8" GYPSUM WALLBOARD. REFER TO PARTITION TYPES SHEET A3.2.
09260.B6 WET-PANELED EXTERIOR GYPSUM BOARD SOFFIT.



05 WALL SECTION
04 WALL SECTION
03 WALL SECTION
02 WALL SECTION
01 WALL SECTION

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1679 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design

50% CD SET - NOT FOR CONSTRUCTION

ACADIA HEALTHCARE

WALL SECTIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA


07 Sept 2023
AHC2246

A8.4

GENERAL NOTES

1. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
2. SEALANT TYPICAL AT ALL JOINTS OF ALL ASSEMBLIES.
3. ALL FIELD FORMED METAL FINISHES OUTSIDE OF BUILDING THERMAL ENVELOPE SHALL BE HOT DIP GALVANIZED. AREA OF DAMAGED OR MISSING GALVANIZED COATING SHALL BE REPAIRED WITH GALVANIZING REPAIR PAINT.

SECTION KEYNOTES



05 WALL SECTION 3/4" = 1'-0"

04 WALL SECTION 3/4" = 1'-0"

03 WALL SECTION 3/4" = 1'-0"

02 WALL SECTION 3/4" = 1'-0"

01 WALL SECTION 3/4" = 1'-0"

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

WALL SECTIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA


07 Sept 2023
AHC2246

A8.5

GENERAL NOTES

1. ALL DIMENSIONS ARE FROM FINISH FACE OF STUD TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
2. SEALANT TYPICAL AT ALL JOINTS OF ALL ASSEMBLIES.
3. ALL FIELD FORMED METAL FINISHES OUTSIDE OF BUILDING THERMAL ENVELOPE SHALL BE HOT DIP GALVANIZED. AREA OF DAMAGED OR MISSING GALVANIZED COATING SHALL BE REPAIRED WITH GALVANIZING REPAIR PAINT

SECTION KEYNOTES



05 WALL SECTION

04 WALL SECTION

03 WALL SECTION

02 WALL SECTION

01 WALL SECTION

STENGEL HILL
ARCHITECTURE

615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

WALL SECTIONS


NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A8.6




ACTIVITY THERAPY (ART ROOM) - 1504
49
A9.1




ACTIVITY THERAPY - 1503
48
A9.1



RECEPTION - 1521
47
A9.1



RECEPTION - 1021
46
A9.1




RECEPTION - 1021
45
A9.1



RECEPTION - 1021
44
A9.1




MEDICINE - 1238/1338
43
A9.1



NURSE STATION - 1235/1236/1335/1336
42
A9.1



NURSE STATION - 1235/1236/1335/1336
41
A9.1



NURSE STATION - 1235/1236/1335/1336
40
A9.1



NURSE STATION - 1235/1236/1335/1336
39
A9.1




NURSE STATION - 1335
38
A9.1




NOURISHMENT - 1237/1337
37
A9.1




TYPICAL SECLUSION/PATIENT TOILET
36
A9.1



TYPICAL SECLUSION/PATIENT TOILET
35
A9.1



TYPICAL SECLUSION/PATIENT TOILET
34
A9.1



PATIENT TOILET - 1119
33
A9.1


PATIENT TOILET - 1119
32
A9.1




PATIENT TOILET - 1119
31
A9.1




TYPICAL ACCESSIBLE PATIENT TOILET/SHOWER
30
A9.1



TYPICAL ACCESSIBLE PATIENT TOILET/SHOWER
29
A9.1



TYPICAL ACCESSIBLE PATIENT TOILET/SHOWER
28
A9.1



STAFF TOILET - 1240/1340
27
A9.1



STAFF TOILET - 1240/1340
26
A9.1




STAFF TOILET - 1240/1340
25
A9.1



STAFF TOILET - 1050
24
A9.1



STAFF TOILET - 1050
23
A9.1



NOURISH - 1051
22
A9.1



TYPICAL PATIENT TOILET/ SHOWER
21
A9.1



TYPICAL PATIENT TOILET/ SHOWER
20
A9.1



TYPICAL PATIENT TOILET/ SHOWER
19
A9.1




PATIENT TOILET - 1507
18
A9.1




PATIENT TOILET - 1507
17
A9.1



STAFF TOILET - 1121/1056
16
A9.1



STAFF TOILET - 1121/1056
15
A9.1



ACCESSIBLE STAFF TOILET/ SHOWER - 1066
14
A9.1




ACCESSIBLE STAFF TOILET/ SHOWER - 1056
13
A9.1



ACCESSIBLE STAFF TOILET/ SHOWER - 1068
12
A9.1



STAFF TOILET - 1108
11
A9.1



STAFF TOILET - 1108
10
A9.1

STAFF TOILET - 1014/1015
09
A9.1

STAFF TOILET - 1014/1015
08
A9.1

PATIENT TOILET - 1017/1082/1083/1099
07
A9.1

PATIENT TOILET - 1017/1082/1083/1099
06
A9.1

NOURISH - 1019/1081/1084/1098
05
A9.1

MALE TOILET - 1024
04
A9.1

MALE TOILET - 1024
03
A9.1

FEMALE TOILET - 1023
02
A9.1

FEMALE TOILET - 1023
01
A9.1

INTERIOR ELEVATIONS

GENERAL NOTES

1. ALL DIMENSIONS ARE FROM FACE OF FINISH WALL TO FACE OF FINISH WALL UNLESS OTHERWISE NOTED.
2. ALL CASEWORK SHALL BE FABRICATED IN ACCORDANCE WITH ALL APPLICABLE PROVISIONS OF THE MOST CURRENT EDITION OF THE ARCHITECTURAL WOODWORK INSTITUTE (AWI) QUALITY STANDARDS.
3. ALL CASEWORK SHALL BE FABRICATED IN ACCORDANCE WITH ALL APPLICABLE PROVISIONS OF THE AMERICANS WITH DISABILITIES ACT (ADA) INCLUDING REQUIRED 27" KNEESPACE CLEARANCE.
4. PROVIDE ONE GROMMET AT EACH OPEN KNEESPACE AND/OR VERYBOARD TRAY.
5. ABOVE COUNTER WALL CABINETS SHALL BE MOUNTED AT 7'-0" A.F.F. TO TOP OF CABINET UNLESS NOTED OTHERWISE.
6. REFERENCE VENDOR DRAWINGS FOR ADDITIONAL CASEWORK INFORMATION.
7. REFERENCE MECHANICAL, PLUMBING, ELECTRICAL AND INTERIOR DESIGN DRAWINGS FOR DELINEATION OF ALL EQUIPMENT WITHIN THEIR RESPECTIVE SCOPE OF WORK.
8. CONTRACTOR SHALL VERIFY EXISTING SITE CONDITIONS AND SHALL NOTIFY THE ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES BETWEEN THE EXISTING CONDITIONS AND CONFIGURATIONS SHOWN IN THE CONSTRUCTION DRAWINGS.
9. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH THE OWNER AND THE ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
10. WHERE DIMENSIONS ARE NOT SPECIFICALLY INDICATING FOR POWER AND SYSTEMS OUTLET, ALIGN OUTLETS HORIZONTALLY ON CENTERLINE OF MODULAR CASEWORK SHOWN ON INTERIOR ELEVATIONS.
11. REFERENCE SPECIFICATION SECTION 123000A FOR TOILET ACCESSORY ITEMS DENOTED AS TA-# TAGS. PROVIDE A TA-XX AND TA-XX TYPICAL AT EVERY SINK UNLESS OTHERWISE NOTED.
12. WHERE APPLICABLE FILLER PANELS SHALL BE AN EQUAL DIMENSION ON BOTH SIDES WHEN CASEWORK IS BOUND BY ADJACENT CONSTRUCTION.
13. PROVIDE COUNTERTOP SUPPORT BRACKETS AT 2'-0" O.C. (MAXIMUM).
14. REFER TO INTERIOR DESIGN DRAWINGS FOR CASEWORK FINISHES.
15. ALL OUTSIDE CORNERS OF COUNTERTOPS TO HAVE 2" RADIUS.

INTERIOR ELEVATION NOTES

CASEWORK LEGEND

B4-243624-S

C S L G

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

INTERIOR ELEVATIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A9.1




INTERIOR ELEVATIONS

GENERAL NOTES

1. ALL DIMENSIONS ARE FROM FACE OF FINISH WALL TO FACE OF FINISH WALL UNLESS OTHERWISE NOTED.
2. ALL CASEWORK SHALL BE FABRICATED IN ACCORDANCE WITH ALL APPLICABLE PROVISIONS OF THE MOST CURRENT EDITION OF THE ARCHITECTURAL WOODWORK INSTITUTE (AWI) QUALITY STANDARDS.
3. ALL CASEWORK SHALL BE FABRICATED IN ACCORDANCE WITH ALL APPLICABLE PROVISIONS OF THE AMERICANS WITH DISABILITIES ACT (ADA), INCLUDING REQUIRED 27" KNEESPACE CLEARANCE.
4. PROVIDE ONE GROMMET AT EACH OPEN KNEESPACE AND/OR KEYBOARD TRAY.
5. ABOVE COUNTER WALL CABINETS SHALL BE MOUNTED AT 7'-0" A.F.F. TO TOP OF CABINET UNLESS NOTED OTHERWISE.
6. REFERENCE VENDOR DRAWINGS FOR ADDITIONAL CASEWORK INFORMATION.
7. REFERENCE MECHANICAL, PLUMBING, ELECTRICAL AND INTERIOR DESIGN DRAWINGS FOR DELINEATION OF ALL ASSOCIATED ITEMS WITHIN THEIR RESPECTIVE SCOPING OF WORK.
8. CONTRACTOR SHALL VERIFY EXISTING SITE CONDITIONS AND SHALL ANCHOR FLOOR AND WALL CABINETS AS REQUIRED. NOTIFY DISCREPANCIES BETWEEN THE EXISTING CONDITIONS AND CONFIGURATIONS SHOWN IN THE CONSTRUCTION DRAWINGS.
9. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED ARCHITECTURAL, MECHANICAL, PLUMBING AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH THE OWNER AND THE ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
10. WHERE DIMENSIONS ARE NOT SPECIFICALLY INDICATED FOR POWER AND SYSTEMS OUTLET, ALIGN OUTLETS HORIZONTALLY ON CENTERLINE OF MODULAR CASEWORK SHOWN ON INTERIOR ELEVATIONS.
11. REFERENCE SPECIFICATION SECTION 10XXXX FOR TOILET ACCESSORY ITEMS DENOTED AS A TAG. PROVIDE A TAILAY AND TAILK TYPICAL AT EVERY SINK UNLESS OTHERWISE NOTED.
12. WHERE APPLICABLE FILLER PANELS SHALL BE AN EQUAL DIMENSION ON BOTH SIDES WHEN CABINETRY IS BOUND BY ADJACENT CONSTRUCTION.
13. PROVIDE COUNTERTOP SUPPORT BRACKETS AT 2'-0" O.C. (MAXIMUM).
14. REFER TO INTERIOR DESIGN DRAWINGS FOR CASEWORK FINISHES.
15. ALL OUTSIDE CORNERS OF COUNTERTOPS TO HAVE 2" RADIUS.

INTERIOR ELEVATION NOTES

CASEWORK LEGEND



STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1978 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION


INTERIOR ELEVATIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246


A9.2




12 RECEPTION CASEWORK SECTION
A6.2 1 1/2" = 1'-0"




11 RECEPTION CASEWORK SECTION
A6.2 1 1/2" = 1'-0"




10 RECEPTION CASEWORK SECTION
A6.2 1 1/2" = 1'-0"




9 TYPICAL UPPER CABINET CASEWORK SECTION
A6.2 1 1/2" = 1'-0"




5 CASEWORK SECTION
A6.2 1 1/2" = 1'-0"




4 TELEVISION CONSOLE CASEWORK SECTION
A6.2 1 1/2" = 1'-0"




8 CASEWORK SECTION
A6.2 1 1/2" = 1'-0"




7 CASEWORK SECTION
A6.2 1 1/2" = 1'-0"




6 CASEWORK SECTION
A6.2 1 1/2" = 1'-0"



3 CASEWORK SECTION
A6.2 1 1/2" = 1'-0"



2 TYPICAL CASEWORK SECTION
A6.2 1 1/2" = 1'-0"



1 TYPICAL CASEWORK SECTION
A6.2 1 1/2" = 1'-0"


GENERAL NOTES

1. ALL DIMENSIONS ARE FROM FACE OF FINISH WALL TO FACE OF FINISH WALL UNLESS OTHERWISE NOTED.
2. ALL CASEWORK SHALL BE FABRICATED IN ACCORDANCE WITH ALL APPLICABLE PROVISIONS OF THE MOST CURRENT EDITION OF THE ARCHITECTURAL WOODWORK INSTITUTE (AWI) QUALITY STANDARDS.
3. ALL CASEWORK SHALL BE FABRICATED IN ACCORDANCE WITH ALL APPLICABLE PROVISIONS OF THE AMERICANS WITH DISABILITIES ACT (ADA) INCLUDING REQUIRED 27" KNEESPACE CLEARANCE.
4. PROVIDE ONE GROMMET AT EACH OPEN KNEESPACE AND/OR KEYBOARD TRAY.
5. ABOVE COUNTER WALL CABINETS SHALL BE MOUNTED AT 7'-0" A.F.F. TO TOP OF CABINET UNLESS NOTED OTHERWISE.

CASEWORK NOTES

061000.A2	WOOD BLOCKING
061053.B0	WOOD BLOCKING NO REQUIRED AT ALL CASEWORK LOCATIONS FOR SUPPORT.
064100.A5	SOLID SURFACE COUNTERTOP WITH 1/8" RADIUSED EDGES (REFER TO INTERIOR DESIGN DRAWINGS).
064100.A6	SOLID SURFACE INTEGRAL SINK (REFER TO PLUMBING DRAWINGS FOR PLUMBING TRIM).
064116.S1	QUARTZ COUNTERTOP (REFER TO INTERIOR DESIGN DRAWINGS).
066000.A1	1/4" ACRYLIC (SQ.) FINISH PANEL (REFER TO INTERIOR DESIGN DRAWINGS).
123300.B2	4" TALL BACKSPLASH W/ MATERIAL TO MATCH COUNTERTOP.
123216.A1	PLASTIC LAMINATE COUNTERTOP.
123215.A3	DECORATIVE LAMINATE CLAD VERTICAL SURFACES (REFER TO INTERIOR DESIGN DRAWINGS).
123215.A4	3/4" PLASTIC LAMINATE CLAD ADJUSTABLE SHELF.
123216.A6	3/4" VIEW PLASTIC LAMINATE CLAD REMOVABLE PANEL SECURED WITH STAINLESS STEEL DRESS SCREWS AND GROMMETS AT ACCESSIBLE SINK LOCATIONS.
123216.A9	REMOVABLE DECORATIVE LAMINATE CLAD ACCESS PANEL ATTACHED WITH STAINLESS STEEL DRESS SCREWS AND GROMMETS FOR ACCESS INTO WET DUCTS AND POWER JUNCTION BOXES IN CONFIGURATION AND SIZE INDICATED. PROVIDE COUNTERTOP GROMMET AT EACH OPEN KNEE SPACE.
123215.B3	FLUSH-MOUNTED, CENTER-DRESSED, ABS PLASTIC PULL.
123216.C3	COUNTERTOP SUPPORT BRACKET.
123215.D7	4" X 4" METAL AIR VENT GRILLE. SECURE TO MILLWORK WITH TAMPER RESISTANT FASTENERS.
123215.D8	PLASTIC LAMINATE SLOPED TOP. REFER TO INTERIOR ELEVATION SHEETS A5.1 AND A5.2 FOR SPECIFIC LOCATIONS.
123215.E5	8" X 4" METAL AIR VENT GRILLE. SECURE TO MILLWORK WITH TAMPER RESISTANT FASTENERS.
ID.A1	WALL BASE AS SCHEDULED (REFER TO INTERIOR DESIGN DRAWINGS).
MECH.A1	EXHAUST FAN (REFER TO MECHANICAL DRAWINGS).

CASEWORK LEGEND



STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax
Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION


CASEWORK SECTIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246


A9.3




6 NURSE STATION CASEWORK SECTION




5 NURSE STATION CASEWORK SECTION






4 RECEPTION CASEWORK SECTION

3 ACCENT WALL



2 WARDROBE CASEWORK SECTION



1 WARDROBE CASEWORK SECTION


GENERAL NOTES

1. ALL DIMENSIONS ARE FROM FACE OF FINISH WALL TO FACE OF FINISH WALL UNLESS OTHERWISE NOTED.
2. ALL CASEWORK SHALL BE FABRICATED IN ACCORDANCE WITH ALL APPLICABLE PROVISIONS OF THE MOST CURRENT EDITION OF THE ARCHITECTURAL WOODWORK INSTITUTE (AWI) QUALITY STANDARDS.
3. ALL CASEWORK SHALL BE FABRICATED IN ACCORDANCE WITH ALL APPLICABLE PROVISIONS OF THE AMERICANS WITH DISABILITIES ACT (ADA) INCLUDING REQUIRED 27" KNEESPACE CLEARANCE.
4. PROVIDE ONE GROMMET AT EACH OPEN KNEESPACE AND/OR KEYBOARD TRAY.
5. ABOVE COUNTER WALL CABINETS SHALL BE MOUNTED AT 7'-0" A.F.F. TO TOP OF CABINET UNLESS NOTED OTHERWISE.

CASEWORK NOTES

061000.A2	WOOD BLOCKING.
061053.A0	WOOD BLOCKING NO REQUIRED AT ALL CASEWORK LOCATIONS FOR SUPPORT.
061053.B4	FIRE PRESERVATIVE TREATED BLOCKING.
061063.P0	PAINTED WOOD BLOCKING. (REFER TO INTERIOR DESIGN DRAWINGS)
064100.A0	SOLID SURFACE COUNTERTOP WITH 1/8" RADIUSED EDGES (REFER TO INTERIOR DESIGN DRAWINGS)
064100.Q1	QUARTZ COUNTERTOP (REFER TO INTERIOR DESIGN DRAWINGS)
066000.A2	1/4" ACRYLIC (ACQ) FINISH PANEL (REFER TO INTERIOR DESIGN DRAWINGS)
088000.A0	PROVIDE BETWEEN GLASS LOUVETRAY BLINDS BETWEEN TYPE P1 GLAZING, BOTH SIDES. PROVIDE BLIND CONTROLS AT CORRIDOR SIDE. COORDINATE SIZE OF HOLLOW METAL FRAME TO ACCOMMODATE WIDTH REQUIRED.
092216.A2	3 5/8" METAL STUDS AT 1'-4" O.C. MAXIMUM.
092900.A1	5/8" GYPSUM WALLBOARD. REFER TO PARTITION TYPES SHEET A3.2.
095113.A1	SUSPENDED ACOUSTICAL CEILING TILE SYSTEM.
123215.A1	PLASTIC LAMINATE COUNTERTOP.
123215.A3	DECORATIVE LAMINATE CLAD VERTICAL SURFACES (REFER TO INTERIOR DESIGN DRAWINGS).
123215.A5	REMOVABLE DECORATIVE LAMINATE CLAD ACCESS PANEL ATTACHED WITH STAINLESS STEEL SCREWS AND GROMMETS FOR ACCESS WITH DATA AND POWER JUNCTION BOXES IN CONFIGURATION AND SIZE INDICATED. PROVIDE COUNTERTOP GROMMET AT EACH OPEN KNEE SPACE.
123216.B9	3/4" PLASTIC LAMINATE CLAD FIXED SHELF.
123216.C4	COUNTERTOP SUPPORT BRACKET.
123216.B8	PLASTIC LAMINATE CLAD VERTICAL SURFACE.
26.07.C0	RECESSED LIGHT FIXTURE (REFER TO ELECTRICAL DRAWINGS)
22.A1	WALL BASE AS SCHEDULED (REFER TO INTERIOR DESIGN DRAWINGS).
22.C0	SURLITE II WALL SYSTEM WITH MATCHING REVEALS AND TRIM (REFER TO INTERIOR DESIGN DRAWINGS).
22.C7	ACOUSTIC TILE AS SCHEDULED (REFER TO INTERIOR DESIGN DRAWINGS).

CASEWORK LEGEND



B4-243624-S

C S L G

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1978
502.893.1979 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

CASEWORK SECTIONS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A9.4

OPENING SCHEDULE

Door #	Door Size		Frame Elevation	Frame Material	Leaf Elevation	Leaf Material	Glazing	LSA Label	Lockset	Access Control	Power Supply	Operator	Hinge	Closer	Protection	Stops	Weatherproofing	Threshold	Miscellaneous	DOP	Details		Additional Comments
	Width	Height																			Head	Jamb	
1001A	3'-8"	7'-9 1/2"		AL	FG	AL	G-4A																
1001B	3'-8"	7'-10"		AL	FG	AL/GL	G-2A																
1002	3'-0"	7'-0"	A	HM	NG	SC/GL																	
1003A	3'-0"	7'-0"	A	HM	NG	SC/GL																	
1003B	3'-0"	7'-0"	A	HM	NG	SC/GL																	
1004	3'-8"	7'-0"	01	HM	NG	SC																	
1005	3'-8"	7'-0"	01	HM	NG	SC																	
1006A	3'-8"	7'-0"	01	HM	FG	HM																	
1006B	3'-8"	7'-0"	01	HM	FG	SC																	
1007	3'-8"	7'-0"	01	HM	NG	SC																	
1008	3'-8"	7'-0"	01	HM	NG	SC																	
1009	3'-8"	7'-0"	01	HM	NG	SC																	
1010	3'-8"	7'-0"	01	HM	NG	SC																	
1011	3'-0"	7'-0"	01	HM	F	SC																	
1012	3'-8"	7'-0"	A	HM	NG	SC/GL																	
1013A	3'-0"	7'-0"	01	HM	F	SC																	
1013B	3'-0"	7'-0"	01	HM	F	SC																	
1014	3'-0"	7'-0"	01	HM	F	SC																	
1015	3'-0"	7'-0"	01	HM	F	SC																	
1016	3'-0"	7'-0"	01	HM	F	SC																	
1017	3'-0"	7'-0"	01	HM	F	SC																	
1019	3'-0"	7'-0"	01	HM	FG	SC																	
1020	3'-0"	7'-0"	A	HM	NG	SC/GL																	
1021A	3'-0"	3'-3"	-	-	-	-																	
1021B	3'-0"	7'-0"	A	HM	NG	SC/GL																	
1022	3'-0"	7'-0"																					
1023	3'-0"	7'-0"	01	HM	F	SC																	
1024	3'-0"	7'-0"	01	HM	F	SC																	
1025	3'-0"	7'-0"	A	HM	NG	SC/GL																	
1026	3'-0"	7'-0"	01	HM	F	SC																	
1027	3'-0"	7'-0"	01	HM	F	SC																	
1028	3'-7 7/8"	7'-1 1/8"			SLIDING DOOR																		
1029A	3'-0"	7'-0"	01	HM	F	SC																	
1029B	3'-0"	7'-0"	01	HM	F	SC																	
1030	3'-0"	7'-0"	01	HM	F	SC																	
1031	3'-0"	7'-0"	01	HM	F	SC																	
1033	3'-0"	7'-0"	01	HM	NG	SC																	
1034	3'-0"	7'-0"	01	HM	F	SC																	
1035	3'-0"	7'-0"	01	HM	F	SC																	
1036	3'-0"	7'-0"	01	HM	F	SC																	
1037	3'-0"	7'-0"	01	HM	F	SC																	
1038A	3'-0"	7'-0"	01	HM	F	SC																	
1038B	3'-0"	7'-0"	01	HM	F	SC																	
1039	3'-7 7/8"	7'-1 1/8"			SLIDING DOOR																		
1040	3'-7 7/8"	7'-1 1/8"			SLIDING DOOR																		
1041	3'-8"	7'-0"			FG	SC/GL	G-6																
1041	3'-0"	7'-0"	01	HM	NG	SC																	
1042	3'-8"	7'-0"			FG	SC/GL	G-6																
1042	3'-0"	7'-0"	01	HM	NG	SC																	
1043	3'-0"	7'-0"	01	HM	FG-OB	SC																	
1044	3'-0"	7'-0"	01	HM	FG-OB	SC																	
1045	3'-0"	7'-0"	01	HM	FG-OB	SC																	
1046	3'-0"	7'-0"	01	HM	FG-OB	SC																	
1047	3'-0"	7'-0"	01	HM	FG-OB	SC																	
1048	3'-0"	7'-0"	01	HM	F	SC																	
1049	3'-0"	7'-0"	01	HM	F	SC																	
1050	3'-0"	7'-0"	01	HM	F	SC																	
1052	3'-0"	7'-0"	01	HM	F	SC																	
1053	3'-7 7/8"	7'-1 1/8"			SLIDING DOOR																		
1054	3'-0"	7'-0"	01	HM	NG	SC																	
1055	3'-0"	7'-0"	01	HM	F	SC																	
1056	3'-0"	7'-0"	01	HM	F	SC																	
1057	3'-0"	7'-0"	01	HM	F	SC																	
1058	3'-0"	7'-0"	01	HM	F	SC																	
1059	3'-0"	7'-0"	01	HM	F	SC																	
1060	3'-0"	7'-0"	01	HM	F	SC																	
1061	3'-0"	7'-0"	01	HM	NG	SC																	
1062	3'-0"	7'-0"	01	HM	FG-OB	SC																	
1063A	3'-0"	7'-9 1/2"			FG	AL	G-4A																
1063B	3'-0"	7'-0"	01	HM	FG-OB	SC																	
1064	3'-0"	7'-0"	01	HM	F	SC																	
1065	3'-0"	7'-0"	01	HM	F	SC																	
1066	3'-0"	7'-0"	01	HM	F	SC																	
1067	3'-0"	7'-0"	01	HM	F	SC																	
1068A	3'-0"	7'-0"	01	HM	NG	SC		20M SB															
1068B	3'-0"	7'-0"	01	HM	NG	SC																	
1069	3'-0"	7'-0"	01	HM	NG	SC																	
1070	3'-0"	7'-0"	01	HM	F	SC																	
1071	3'-0"	7'-0"	01	HM	NG	SC																	
1072	3'-0"	7'-0"	01	HM	NG	SC																	
1073	3'-0"	7'-0"	01	HM	NG	SC																	
1074	3'-0"	7'-0"	01	HM	NG	SC																	
1075A	3'-0"	7'-9 1/2"			FG	AL	G-4A																
1075B	3'-0"	7'-0"	01	HM	NG	SC																	
1076A	3'-0"	7'-9 1/2"			FG	AL	G-4A																
1076B	3'-0"	7'-0"	01	HM	NG	SC																	
1077A	3'-0"	7'-0"	01	HM	F	SC																	
1077B	3'-0"	7'-0"	01	HM	F	SC																	
1078	3'-0"	7'-0"	01	HM	NG	SC																	
1079	3'-0"	7'-0"	01	HM	NG	SC																	
1080	3'-0"	7'-0"	01	HM	NG	SC																	
1082	3'-0"	7'-0"	01	HM	F	SC																	
1083	3'-0"	7'-0"	01	HM	F	SC																	
1085	3'-0"	7'-0"	01	HM	F	SC																	
1086	3'-0"	7'-0"	01	HM	F	SC																	
1087A	3'-0"	7'-0"	01	HM	NG	SC																	
1087B	3'-0"	7'-0"	01	HM	NG	SC																	
1088	3'-0"	7'-0"	01	HM	NG	SC																	
1089	3'-7 7/8"	7'-1 1/8"			SLIDING DOOR																		
1090	3'-0"	7'-0"	01	HM	F	SC																	
1091	3'-0"	7'-0"	01	HM	NG	SC																	
1092	3'-0"	7'-0"	01	HM	NG	SC																	
1093	3'-0"	7'-0"	01	HM	NG	SC																	
1094	3'-8"	7'-0"	01	HM	NG	SC																	
1097	3'-0"	7'-0"	01	HM	F	SC		45M FB															
1099	3'-0"	7'-0"	01	HM	F	SC																	
1100	3'-0"	7'-0"	01	HM	F	SC		45M FB															
1102	3'-8"	7'-0"	01	HM	NG	SC																	
1102A	3'-8"	7'-9 1/2"		AL	FG	AL	G-4A																
1103A	3'-8"	7'-0"	A	HM	NG	SC/GL																	
1103B	3'-8"	7'-0"	A	HM	NG	SC/GL																	
1104A	3'-8"	7'-0"	A	HM	NG	SC/GL																	
1104B	3'-8"	7'-0"	A	HM	NG	SC/GL																	
1105	7'-8"	7'-0"	03	HM	NG	SC		20M SB															
1105	3'-0"	7'-0"	A	HM	NG	SC/GL																	
1106	7'-8"	7'-0"	03	HM	NG	SC		20M SB															
1106A	3'-8"	7'-0"	01	HM	F	SC																	
1106B	3'-8"	7'-0"	01	HM	F	SC																	
1106C	3'-0"	7'-0"	A	HM	NG	SC/GL																	
1106D	3'-0"	7'-0"	A	HM	NG	SC/GL																	
1107	3'-0"	7'-0"	01	HM	F	SC																	
1108	3'-0"	7'-0"	01	HM	F	SC																	
1108A	3'-0"	7'-0"	A	HM	NG	SC/GL																	
1108B	3'-0"	7'-0"	01	HM	NG	SC																	
1112	3'-8"	7'-0"	A	HM	F	SC		45M FB															
1113	3'-0"	7'-0"	01	HM	NG	SC																	
1114	3'-0"	7'-0"	K	HM	NG	SC	G-6		OF	-	-	-	BH	-	KP	WS	-	-	-				
1115	3'-0"	7'-0"	01	HM	NG	SC																	
1116	3'-8"	7'-0"	A	HM	F	SC		45M FB															
1117	3'-8"	7'-0"	A	HM	F	SC		45M FB															
1118	3'-0"	7'-0"	01	HM	NG	SC																	
1119	3'-0"	7'-0"	01	HM	F	SC																	
1120	2'-0"	7'-0"	01	HM	F	SC																	
1121	3'-0"	7'-0"	01	HM	F	SC																	
1122	3'-0"	7'-0"	01	HM	F	SC																	
1123	3'-8"	7'-0"	A	HM	F	SC		45M FB															
1124	3'-8"	7'-0"	A	HM	F	SC		45M FB															
1125A	3'-8"	7'-0"	01	HM	F	SC																	
1125B	3'-8"	7'-0"	01	HM	F	SC																	
1126	3'-8"	7'-0"	A	HM	F	SC																	
1127	3'-8"	7'-0"	A	HM	F	SC		45M FB															
1128A	6'-0"	7'-0"	A	HM	F	SC																	
1128B	3'-8"	7'-0"	A	HM	F	SC		45M FB															

OPENING SCHEDULE

Door #	Door Size		Frame Elevation	Frame Material	Leaf Elevation	Leaf Material	Glazing	LSA Label	Lockset	Access Control	Power Supply	Operator	Hinge	Closer	Protection	Stops	Weatherproofing	Threshold	Miscellaneous	DOP	Details		Additional Comments
	Width	Height																			Head	Jamb	
1129	3'-0"	7'-0"		HM	F	HM																	
1130A	6'-0"	7'-0"	A	HM	F	SC																	
1130B	3'-8"	7'-0"	A	HM	F	SC		45M FB															
1131A	3'-8"	7'-0"	01	HM	NG	HM																	
1131B	3'-8"	7'-0"	01	HM	NG	SC																	
1201	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1201T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1202	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1202T	3'-8"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1203	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1203T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1204	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1204T	3'-8"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1205	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1205T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1206	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1206T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1207	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1207T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1208	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1208T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1209	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1209T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1210	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1210T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1211	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1211T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1212	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1212T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1213	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1213T	3'-8"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1214	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1214T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1215	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1215T	3'-8"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1216	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1216T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1217	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1217T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1218	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1218T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1219	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1219T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1220	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1220T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1221	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1221T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1222	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1222T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1223	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1223T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1224	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1224T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1225	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf
1226	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf
1227	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf
1228	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf
1229	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf
1230	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf
1231	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf
1232	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf
1233	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf
1234	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf
1235	3'-0"	7'-0"		HM	POCKET DOOR	SC																	
1237A	3'-0"	7'-0"	01	HM	NG	SC																	
1237B	3'-0"	7'-0"	01	HM	NG	SC																	
1238	3'-0"	7'-0"	01	HM	NG	SC																	
1239A	3'-0"	7'-0"	01	HM	NG	SC																	
1239B	3'-0"	7'-0"	01	HM	NG	SC																	
1240	3'-0"	7'-0"	01	HM	F	SC																	
1241	3'-0"	7'-0"	01	HM	F	SC																	
1242	3'-0"	7'-0"	01	HM	F	SC		45M FB															
1243	3'-0"	7'-0"	01	HM	F	SC																	
1244	3'-0"	7'-0"	01	HM	F	SC		45M FB															
1245	3'-0"	7'-0"	01	HM	F	SC		45M FB															
1246	3'-0"	7'-0"	01	HM	F	SC																	
1247	3'-0"	7'-0"	01	HM	NG	SC																	
1248	3'-0"	7'-0"	01	HM	NG	SC																	
1249	3'-0"	7'-0"	01	HM	NG	SC																	
1250	3'-0"	7'-0"	01	HM	NG	SC																	
1250B	3'-8"	7'-0"			FG	SC/GL	G-6																
1251	3'-0"	7'-0"	01	HM	NG	SC																	
1252A	3'-0"	7'-10"	CO	AL	FG	AL/GL	G-2A		PH-R-SR/EL	CRD-NA	PS	-	CH	CL-SA	-	WS-LR	BTWE	TH	-	DOP 3-1			
1253	3'-0"	7'-0"	01	HM	NG	SC																	
1254	3'-0"	7'-0"	01	HM	NG	SC																	
1255	3'-0"	7'-0"	01	HM	FG	SC																	
1257	3'-0"	7'-0"	01	HM	NG	SC																	
1258	4'-0"	7'-0"	01	HM	VL	HM																	
1259	3'-0"	7'-0"																					
1260	4'-0"	7'-0"	01	HM	NG	SC																	
1261	3'-8"	7'-0"	01	HM	NG	SC																	
1264	3'-8"	7'-0"	01	HM	NG	SC																	
1265	4'-0"	7'-0"	01	HM	NG	SC																	
1266	3'-0"	7'-0"																					
1267	4'-0"	7'-0"	01	HM	VL	HM																	
1268	3'-0"	7'-0"	01	HM	NG	SC																	
1269	3'-0"	7'-0"	01	HM	FG	SC																	
1271	3'-0"	7'-0"	01	HM	NG	SC																	
1272	3'-0"	7'-0"	01	HM	NG	SC																	
1273A	3'-0"	7'-10"	CO	AL	FG	AL/GL	G-2A		PH-R-SR/EL	CRD-NA	PS	-	CH	CL-SA	-	WS-LR	BTWE	TH	-	DOP 3-1			
1273B	3'-8"	7'-0"			FG	SC/GL	G-6																
1273C	3'-0"	7'-0"	01	HM	FG	SC	G-6																
1273D	3'-0"	7'-0"	01	HM	FG	SC	G-6																
1273E	3'-0"	7'-0"	01	HM	FG	SC	G-6																
1273F	3'-0"	7'-0"	01	HM	FG	SC	G-6																
1301	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1301T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1302	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1302T	3'-8"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1303	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1303T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1304	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1304T	3'-8"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.
1305	3'-8"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-			
1305T	3'-0"	7'-0"	A	HM	SSPD	SSPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-			Cased Opening - provide Soft Suicide Prevention Door per specifications.

STENGEL HILL
ARCHITECTURE

613 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1875
502.893.1876 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERING, P.S.

Mechanical/Electrical Engineering
CMTA

Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

OPENING SCHEDULE

NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC224E

A10.1

OPENING SCHEDULE (Cont.)

Door #	Door Size: Width	Door Size: Height	Frame: Elevation	Frame: Material	Leaf: Elevation	Leaf: Material	Glazing	LSA Label	Lockset	Access Control	Power Supply	Operator	Hinges	Closer	Protection	Stops	Weatherproofing	Threshold	Miscellaneous	DOP	Details: Head	Details: Jamb	Additional Comments
1320	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1320T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1321	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1321T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1308	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1308T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1309	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1309T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1310	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1310T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1311	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1311T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1312	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1312T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1313	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1313T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1314	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1314T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1315	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1315T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1316	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1316T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1317	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1317T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1318	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1318T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1319	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1319T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1320	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1320T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1321	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1321T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1322	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1322T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1323	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1323T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1324	3'-0"	7'-0"	A	HM	F	SC	-	-	CR-LR	-	-	-	CH	-	-	WS-LR	-	-	-	-	-	-	
1324T	3'-0"	7'-0"	A	HM	SDPD	SDPD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Cased Opening - provide Soft Suicide Prevention Door per specifications.
1325	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf.
1326	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf.
1327	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf.
1328	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf.
1329	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf.
1330	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf.
1331T	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf.
1332	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf.
1333	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf.
1334	6'-0"	7'-0"	A	HM	F	SC	-	-	SR-LR	-	-	-	CH	CL-HO (PUSH) X2	KP	-	-	-	FB-A/COR/MA	-			Provide lockset on right-hand door leaf.
1335	3'-0"	7'-0"		HM	POCKET DOOR	SC																	
1337A	3'-0"	7'-0"	01	HM	ND	SC																	
1337B	3'-0"	7'-0"	01	HM	NG	SC																	
1338	3'-0"	7'-0"	01	HM	ND	SC																	
1338A	3'-0"	7'-0"	01	HM	NG	SC																	
1339B	3'-0"	7'-0"	01	HM	ND	SC																	
1340	3'-0"	7'-0"	01	HM	F	SC																	
1341	3'-0"	7'-0"	01	HM	F	SC																	
1342	3'-0"	7'-0"	01	HM	F	SC		45M FR															
1343	2'-0"	7'-0"	01	HM	F	SC																	
1344	3'-0"	7'-0"	01	HM	F	SC		45M FR															
1345	3'-0"	7'-0"	01	HM	F	SC		45M FR															
1346	3'-0"	7'-0"	01	HM	F	SC																	
1347	3'-0"	7'-0"	01	HM	NG	SC																	
1348	3'-0"	7'-0"	01	HM	ND	SC																	
1349	3'-0"	7'-0"	01	HM	ND	SC																	
1350	2'-0"	7'-0"	01	HM	NG	SC																	
1351	3'-0"	7'-0"	01	HM	ND	SC																	
1352A	3'-0"	7'-10"	CC	AL	FG	ALGL	G-2A		PHR-SREL	CRD-NA	PS	-	CH	CL-GA	-	WG-LR	BTWE	TH	-	DOP 3-1			
1352B	3'-6"	7'-0"			FG	SCRL	G-6																
1353	3'-0"	7'-0"	01	HM	ND	SC																	
1354	3'-0"	7'-0"	01	HM	NG	SC																	
1356	3'-0"	7'-0"	01	HM	FG	SC																	
1357	3'-0"	7'-0"	01	HM	ND	SC																	
1358	4'-0"	7'-0"	01	HM	VL	HM																	
1359	3'-0"	7'-0"																					
1360	4'-0"	7'-0"	01	HM	NG	SC																	
1361	3'-6"	7'-0"	01	HM	ND	SC																	
1362	3'-6"	7'-0"			FG	SCRL	G-6																
1363	3'-6"	7'-0"			FG	SCRL	G-6																
1364	3'-0"	7'-0"	01	HM	ND	SC																	
1365	4'-12"	7'-0"	01	HM	NG	SC																	
1366	3'-0"	7'-0"																					
1367	4'-0"	7'-0"	01	HM	VL	HM																	
1368	3'-0"	7'-0"	01	HM	ND	SC																	
1369	2'-0"	7'-0"	01	HM	FG	SC																	
1371	3'-0"	7'-0"	01	HM	ND	SC																	
1372	3'-0"	7'-0"	01	HM	ND	SC																	
1373A	3'-0"	7'-10"	CC	AL	FG	ALGL	G-2A		PHR-SREL	CRD-NA	PS	-	CH	CL-GA	-	WG-LR	BTWE	TH	-	DOP 3-1			
1373B	3'-6"	7'-0"			FG	SCRL	G-6																
1436	7'-8"	7'-0"	03	HM	ND	SC		20M SB															
1437	3'-6"	7'-0"	A	HM	NG	SCRL		20M SB															
1501A	3'-0"	7'-0"	A	HM	ND	SCRL																	
1501B	3'-0"	7'-0"	A	HM	NG	SCRL																	
1502A	3'-6"	7'-0"	01	HM	ND	SC																	
1502B	3'-0"	7'-0"	A	HM	ND	SCRL																	
1503	3'-0"	7'-0"	A	HM	NG	SCRL																	
1504	3'-0"	7'-0"	A	HM	ND	SCRL																	
1505A	6'-0"	7'-0"	A	HM	FG	SCRL		45M FR															
1505B	3'-0"	7'-0"	01	HM	F	SC		45M FR															
1506	2'-0"	7'-0"	01	HM	F	SC																	
1507	3'-0"	7'-0"	01	HM	F	SC																	
1508A	3'-6"	7'-0"	01	HM	ND	HM																	
1508B	3'-6"	7'-0"	01	HM	NG	HM																	
C-101	3'-6"	7'-0"	03	HM	ND	SC																	
C-102A	3'-6"	7'-0"	A	HM	NG	SCRL		20M SB															
C-103A	5'-6"	7'-0"	01	HM	FG	HM	G-2B																
C-103B	3'-6"	7'-0"	01	HM	FG	HM	G-2B																
C-104A	6'-0"	7'-0"	A	HM	ND	SCRL																	
C-104B	3'-6"	7'-0"	01	HM	NG	SC																	
C-104C	3'-6"	7'-0"	A	HM	F	SC																	
C-105A	3'-6"	7'-0"	01	HM	ND	HM	G-2B																
C-105B	3'-6"	7'-0"	01	HM	NG	HM	G-2B																
C-106A	3'-6"	7'-0"	01	HM	ND	SC																	
C-106B	2'-6"	7'-0"	01	HM	NG	SC																	
C-107A	4'-0"	7'-0"	01	HM	F	HM	G-2B																
C-107B	3'-6"	7'-0"	01	HM	NG	SC																	
C-108	4'-0"	7'-0"	01	HM	ND	SC																	
C-108A	4'-0"	7'-0"	01	HM	F	HM	G-2B																
C-108B	7'-8"	7'-0"	03	HM	NG	SC		20M SB															
C-110	7'-8"	7'-0"	03	HM	ND	SC		20M SB															
C-111	7'-8"	7'-0"	03	HM	NG	SC																	
C-112	7'-8"	7'-0"	03	HM	ND	SC		20M SB															
C-114	4'-0"	7'-0"	01	HM	NG	SC																	
C-115A	4'-0"	7'-0"	01	HM	F	HM	G-2B																
C-115B	7'-8"	7'-0"	03	HM	ND	SC		20M FR															

OPENING SCHEDULE (Cont.)

Door #	Door Size: Width	Door Size: Height	Frame: Elevation	Frame: Material	Leaf: Elevation	Leaf: Material	Glazing	LSA Label	Lockset	Access Control	Power Supply	Operator	Hinges	Closer	Protection	Stops	Weatherproofing	Threshold	Miscellaneous	DOP	Details: Head	Details: Jamb	Additional Comments
C-116A	3'-6"	7'-0"	01	HM	NG	SC																	
C-116B	3'-6"	7'-0"	01	HM	ND	SC																	
C-117A	3'-6"	7'-0"	01	HM	NG	HM	G-2B																
C-117B	3'-6"	7'-0"	01	HM	NG	HM	G-2B																
C-118A	4'-0"	7'-0"	A	HM	F	SC																	
C-118B	3'-6"	7'-0"	01	HM	NG	SC																	
C-127	3'-6"	7'-0"	A	HM	ND	SCRL		20M SB															
C-128	3'-6"	7'-0"	01	HM	NG	SC																	
EXT-1	4'-0"	7'-0"	B	HM	F	HM			PH-R-CR	CRD	PS	-	CH	CL-SAx2	KP	OS-CO	-	-	-	DOP 7-1			Mount closer on push side of door
EXT-2	4'-0"	7'-0"	B	HM	F	HM			PH-R-CR	CRD	PS	-	CH	CL-SAx2	KP	OS-CO	-	-	-	DOP 7-1			Mount closer on push side of door
EXT-3	4'-0"	7'-0"	B	HM	F	HM			PH-R-CR	CRD	PS	-	CH	CL-SAx2	KP	OS-CO	-	-	-	DOP 7-1			Mount closer on push side of door
EXT-4	4'-0"	7'-0"	B	HM	F	HM			PH-R-CR	CRD	PS	-	CH	CL-SAx2	KP	OS-CO	-	-	-	DOP 7-1			Mount closer on push side of door

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1878 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION


OPENING SCHEDULE
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246


A10.2




35 DETAIL




34 DETAIL




33 DETAIL




32 DETAIL




31 DETAIL




30 DETAIL




29 DETAIL




28 DETAIL




27 DETAIL




26 DETAIL




25 DETAIL




24 DETAIL




23 DETAIL




22 DETAIL




21 DETAIL




20 DETAIL




19 DETAIL




18 DETAIL




17 DETAIL




16 DETAIL



15 DETAIL




14 DETAIL




13 DETAIL




12 DETAIL




11 DETAIL




10 DETAIL




09 DETAIL




08 DETAIL




07 DETAIL




06 DETAIL




05 DETAIL



04 DETAIL



03 DETAIL



02 DETAIL



01 DETAIL

GENERAL NOTES

1. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
2. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
3. SEALANT TYPICAL AT ALL JOINTS OF ALL ASSEMBLIES.
4. ANY STOREFRONT SYSTEM WIDER THAN 6'-0" TO RECEIVE DEFLECTION TRACK AT HEAD.

DOOR SHEDULE LEGEND

DOOR/FRAME FINISHES

ABBREVIATION	DESCRIPTION	SPEC SECTION
HM	HOLLOW METAL	08 11 13
AL	ALUMINUM	08 36 13
SC	SOLID CORE	08 14 16
GL	GLASS	08 80 00
LC	LOUVERED	10 56 00

SCHEDULE/DETAIL KEYNOTES

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design


ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

DETAILS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA


07 Sept 2023
AHC2246

A10.4



BARN DOOR JAMB

21 DETAIL A10.2 1 1/2" = 1'-0"




BARN DOOR HEAD

20 DETAIL A10.2 1 1/2" = 1'-0"




SHUTTER DOOR SILL

19 DETAIL A10.2 1 1/2" = 1'-0"




SHUTTER DOOR HEAD

18 DETAIL A10.2 1 1/2" = 1'-0"




SHUTTER DOOR JAMB

17 DETAIL A10.2 1 1/2" = 1'-0"




SHUTTER DOOR JAMB

16 DETAIL A10.2 1 1/2" = 1'-0"




SHUTTER DOOR HEAD

15 DETAIL A10.2 1 1/2" = 1'-0"




MAGNETIC HOLD OPEN BLOCKING DETAIL

14 DETAIL A10.2 1 1/2" = 1'-0"




ALUMINUM INTERIOR WINDOW JAMB

13 DETAIL A10.2 1 1/2" = 1'-0"




ALUMINUM INTERIOR WINDOW JAMB

12 DETAIL A10.2 1 1/2" = 1'-0"



ALUMINUM INTERIOR WINDOW/DOOR INTERMEDIATE MULLION

11 DETAIL A10.2 1 1/2" = 1'-0"




ALUMINUM INTERIOR DOOR HEAD

10 DETAIL A10.2 1 1/2" = 1'-0"



ALUMINUM INTERIOR WINDOW CORNER MULLION

09 DETAIL A10.2 1 1/2" = 1'-0"



ALUMINUM INTERIOR WINDOW HEAD

08 DETAIL A10.2 1 1/2" = 1'-0"




ALUMINUM INTERIOR INTERMEDIATE MULLION

07 DETAIL A10.2 1 1/2" = 1'-0"




ALUMINUM INTERIOR WINDOW INTERMEDIATE MULLION

06 DETAIL A10.2 1 1/2" = 1'-0"




HOLLOW METAL INTERIOR POCKET DOOR JAMB

05 DETAIL A10.2 1 1/2" = 1'-0"




HOLLOW METAL INTERIOR POCKET DOOR JAMB

04 DETAIL A10.2 1 1/2" = 1'-0"




HOLLOW METAL INTERIOR POCKET DOOR HEAD

03 DETAIL A10.2 1 1/2" = 1'-0"




HOLLOW METAL EXTERIOR DOOR JAMB (AT FENCE)

02 DETAIL A10.2 1 1/2" = 1'-0"




HOLLOW METAL EXTERIOR DOOR HEAD (AT FENCE)

01 DETAIL A10.2 1 1/2" = 1'-0"




ALUMINUM EXTERIOR WINDOW JAMB

24 DETAIL A10.2 1 1/2" = 1'-0"



ALUMINUM EXTERIOR WINDOW HEAD

23 DETAIL A10.2 1 1/2" = 1'-0"



EPOXY FLOORING TRANSITION DETAIL

22 DETAIL A10.2 3" = 1'-0"

GENERAL NOTES

1. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED OWNER FURNISHED, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
2. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
3. SEALANT TYPICAL AT ALL JOINTS OF ALL ASSEMBLIES.
4. ANY STOREFRONT SYSTEM HIGHER THAN 8'-6" TO RECEIVE DEFLECTION TRACK AT HEAD.

DOOR SHEDULE LEGEND

DOOR/FRAME FINISHES		
ABBREVIATION	DESCRIPTION	SPEC SECTION
HM	HOLLOW METAL	08 11 13
AL	ALUMINUM	08 50 13
SC	SOLID CORE	08 14 16
GL	GLASS	08 80 00
LL	LOUVER	10 56 00

SCHEDULE/DETAIL KEYNOTES

042000.AB	NOMINAL 12" x 8" x 16" CONCRETE MASONRY UNIT (REFER TO STRUCTURAL DRAWINGS)
061000.A1	BOARD HEADER
054000.A2	6" METAL STUDS
061000.A3	WOOD BLOCKING
061000.A3	TREATED WOOD BLOCKING
061753.A1	1/2" CONTINUOUS EXTERIOR SHEATHING BOARD
064100.A5	SOLID SURFACE COUNTERTOP WITH 1/8" RADIUSED EDGES (REFER TO INTERIOR DESIGN DRAWINGS)
072100.A1	MINERAL WOOL ACOUSTIC INSULATION (TYPE 2)
072100.A2	MINERAL WOOL ACOUSTIC INSULATION (TYPE 3)
072100.A3	SPRAY-APPLIED CLOSED-CELL POLYURETHANE FOAM INSULATION (TYPE 5)
072400.A2	EXTERIOR INSULATION AND FINISH SYSTEM. PROVIDE CONTROL JOINTS (CJ) AND REVEALS (RV) AS INDICATED ON EXTERIOR ELEVATIONS.
072600.A1	FLUID APPLIED VAPOR PERMEANT MEMBRANE
076200.A2	24 GA. STAINLESS STEEL FLASHING
076200.C4	TERMINATION BAR
079500.AC	CONTINUOUS FLEXIBLE FLASHING ADHERED TO STAINLESS STEEL FLASHING. HOLD TOE BACK BACK 1/2" FROM FACE OF BRICK
079200.A1	SEALANT AND BACKER ROD
081113.A1	HOLLOW METAL DOOR (REFER TO OPENING SCHEDULE)
081213.A1	STAINLESS STEEL FRAME. (REFER TO OPENING SCHEDULE)
081213.A2	POCKET DOOR STEEL FRAME ASSEMBLY.
081213.AS	STANDARD STEEL FRAME. (WOUT SOUR). (REFER TO OPENING SCHEDULE)
083310.A1	ROLLING COUNTER DOOR SYSTEM. REFER TO SPECIFICATIONS FOR ROLLING COUNTER DOOR SCHEDULE.
083313.A2	PROVIDE TYPE COF – MANUAL PUSH-UP COUNTER DOOR, WITH 14" DEEP SILL AND TRIM AS MANUFACTURED BY THE COOKSON COMPANY (PHOENIX, AZ), OR ARCHITECT APPROVED EQUAL. PROVIDE CURTAIN WITH INTERCONNECTED NO. 10 SLATS AND CONCEALED SLIDING BOLT DEADLOCK IN BOTTOM BAR OPERATED BY A THUMBTURN. FINISH TO BE #4 SS (STAINLESS STEEL).
083315.A3	PROVIDE ESCHG, FACE-MOUNTED – MOTORIZED COUNTER DOOR WITH KEYSWITCH OPERATION AS MANUFACTURED BY THE COOKSON COMPANY (PHOENIX, AZ), OR ARCHITECT APPROVED EQUAL. PROVIDE CURTAIN WITH INTERCONNECTED NO. 10 SLATS AND CONCEALED SLIDING BOLT DEADLOCK IN BOTTOM BAR OPERATED BY A THUMBTURN. FINISH TO BE #4 SS (STAINLESS STEEL.
084113.AC	20 GA. STAINLESS STEEL FLASHING SCREWED TO METAL STUD HEADER (BD) IN SEALANT; LAP AND SEAL OVER JAMB FLASHING 1/2" MINIMUM
088000.AS	GLAZING. REFER TO PARTIAL FLOOR PLAN/OPENING SCHEDULE FOR GLAZING TYPES
088000.AS	GLAZING AS SCHEDULED
088000.AT	IMPACT RESISTANT GLAZING (SET) WITH TEMPERABLE AND SECURED WITH TAMPER RESISTANT FASTENERS
088000.BA	4" VOICE HOLE (CENTERED LEFT TO RIGHT AND LOCATED 64" A.F.F.)
092216.A2	3 5/8" METAL STUDS AT 1'-4" O.C. MAXIMUM
092216.B2	SPLIT METAL STUDS TO ACCOMMODATE POCKET DOOR ASSEMBLY
092216.B2	CEILING AS SCHEDULED. (REFER TO REFLECTED CEILING PLAN)
092216.B7	METAL STUDS. (REFER TO PARTITION TYPES, PLANS, AND SPECIFICATIONS)
092900.A1	DOOR (REFER TO OPENING SCHEDULE)
ARCH.A1	FILL VOIDS WITH 4 PCF MINERAL WOOL

STENGEL HILL ARCHITECTURE

615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1979
502.893.1978 fax

Civil Engineering
CRUNK ENGINEERING

Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.

Mechanical/Electrical Engineering
CMTA

Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

DETAILS
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A10.5

EQUIPMENT SCHEDULE

EQUIP. #	ITEM DESCRIPTION	MANUFACTURER	MODEL #	RESPONSIBILITY	NOTES
14	REMOTE CONDENSING UNIT	BALLY	CUSTOM		
15	REMOTE CONDENSING UNIT SUPPORT PAD	-	-		
17	REMOTE CONDENSING UNIT	BALLY	CUSTOM		
EQ-16	4'-0" Whiteboard	Unknown	Unknown		
EQ-01D	6'-0" Whiteboard	Unknown	Unknown		
EQ-01E	8'-0" Whiteboard	Unknown	Unknown		
EQ-02	Shredder Box		4P00RB	VFVI	
EQ-04	Coffee Maker			VFVI	
EQ-05	Defibrillator			OFOI	
EQ-07A	Flat Screen TV				
EQ-07D	TV Mount	Unknown	Unknown		
EQ-07E	Flat Screen Television Bracket	Crimson	T-SE	CFCI	
EQ-07F	TV Enclosure	Unknown	Unknown		
EQ-08	Microwave				
EQ-09A	UCR	Summit	SP-SAL 750	CFCI	
EQ-09B	Refrigerator w/ Icemaker	Unknown	Unknown		
EQ-09D					
EQ-10A	DVD Player	Unknown	Unknown		
EQ-11A	Mirror, Half Dome	Duravision	CD18		
EQ-11B	Mirror	Duravision	HD18	CFCI	
EQ-14B	Wire Rack Shelving			VFVI	By Storage Systems
EQ-14C	Wire Rack Shelving			VFVI	By Storage Systems
EQ-15A	Washer/ Dryer				
EQ-15B	Dryer	UniMac	UDE90FWF1702	CFCI	
EQ-15C	Washer	UniMac	UWMR23P	CFCI	
EQ-16	Work Bench			VFVI	By Storage Systems
EQ-17A	Soiled Cart	Unknown	Unknown		
EQ-17B	Crash Cart			VFVI	By Storage Systems
EQ-17C	Soiled Cart	Unknown	Unknown		
EQ-17D	Mobile Chart Rack			CFCI	
EQ-17E	Soiled Linen Cart	Unknown	Unknown		
EQ-18	Diagnostic Set	Unknown	Unknown		
EQ-20	Scale	Unknown	Unknown		
EQ-21	Exam Table	Unknown	Unknown		
EQ-22	High Density File System			VFVI	
EQ-23	Safe	Sentry Safe	TS-331	CFCI	
EQ-27	Trash Can	Tough Guy	4PGR8	CFCI	
EQ-33A	Medicine Dispensing Unit	Unknown	Unknown		
EQ-33B	Medicine Dispensing Unit (Countertop)	Omnicell	XT Series	VFVI	
EQ-34	Overbed Table			OFOI	
EQ-39	Ice/Water Dispenser	Unknown	Unknown		
EQ-38	Vending Machine			VFVI	
EQ-40	Centrifuge			OFCI	
EQ-47	ECT Unit with Cart			OFOI	
EQ-49	Biohazard Trash	Unknown	Unknown		
EQ-50	Biohazard Trash			VFVI	
EQ-51	Stretcher			OFCI	
EQ-52	Fold-Down Charting Station			CFOI	
EQ-53	Blanket Warmer			OFOI	
EQ-54	Coat Rack				
EQ-59	Viking Wall Phone	-	-	OFOI	-
EQ-60	FACP				
EQ-61	Magnetic Detector	Metrasens	Prosceen 200	CFCI	
EQ-62	Scale	Metrasens	Prosceen 200	CFCI	
EQ-X	Cubicle Curtain Track				
F1	Curtain track				
FN-01A	Platform Bed	Stockhouse	C110400-0000-00 0014D	VFVI	
FN-01B	Seclution Bed	Unknown	Unknown		
FN-02A	Nightstand	Stockhouse	C210415-T0000-0 3001A0	VFVI	
IT-01	Printer				
IT-02	Timeclock, POE			OFOI	
IT-03	Multi-function Unit				
IT-4	PC				
IT-04	Monitor/PC			OFOI	
IT-07	Fax	Unknown	Unknown		
IT-08	Multifunction Unit			OFOI	
IT-10	Digital Bed Board	LG	86UU340C	CFCI	Provide 98" model at Admissions Workroom 1218
Specification	Street Wall Protection				

EQUIPMENT SCHEDULE - BY ROOM

Room #	Item #	Item Description	Quantity
	14		1
	15		2
	17		1
1001	EQ-60		1
1002	EQ-07A	Flat Screen Television	1
1002	EQ-07E	Television Bracket	1
1003	EQ-07A		1
1003	EQ-07D		1
1003	EQ-07F		1
1005	EQ-61	Stretcher	1
1006	IT-02	Timeclock, POE	1
1007	EQ-61	Stretcher	1
1013	EQ-14B	Shelving, Rack, Patient Effects Storage	6
1013	EQ-23	Safe	1
1016	EQ-07A		1
1016	EQ-07D		1
1016	EQ-07F		1
1016	EQ-09A	Refrigerator, Undercounter	1
1020	EQ-02	Shredder Box	1
1020	EQ-07E	Television Bracket	1
1020	IT-03	Multifunction Unit	1
1020	IT-10	Digital Bed Board	1
1022	EQ-38	Vending Machine	1
1028	IT-03	Multifunction Unit	1
1029	EQ-22	High Density File System	1
1032	EQ-02	Shredder Box	1
1032	IT-08	Multifunction Unit	1
1038	EQ-01D	6'-0" Whiteboard	1
1038	EQ-07A	Flat Screen Television	1
1038	EQ-07E	Television Bracket	1
1039	IT-03	Multifunction Unit	1
1040	IT-03	Multifunction Unit	1

EQUIPMENT SCHEDULE - BY ROOM CONT.

Room #	Item #	Item Description	Quantity
1051	EQ-09A	Refrigerator, Undercounter	1
1053	IT-03	Multifunction Unit	1
1054	EQ-09A	Refrigerator, Undercounter	1
1054	EQ-40	Centrifuge	1
1056	EQ-07A	Flat Screen Television	1
1056	EQ-07E	Television Bracket	1
1060	EQ-16	4'-0" Whiteboard	1
1060	EQ-04	Coffee Maker	1
1060	EQ-08	Microwave	1
1060	EQ-09B		1
1060	EQ-54	Coat Rack	1
1066	EQ-07A	Flat Screen Television	2
1066	EQ-07E	Television Bracket	2
1071	EQ-16	4'-0" Whiteboard	1
1073	EQ-01E	8'-0" Whiteboard	1
1073	EQ-07A		1
1073	EQ-07D		1
1073	EQ-07F		1
1074	EQ-01E	8'-0" Whiteboard	1
1074	EQ-07A		1
1074	EQ-07D		1
1074	EQ-07F		1
1076	EQ-07A	Flat Screen Television	1
1076	EQ-07E	Television Bracket	1
1076	EQ-07A	Flat Screen Television	1
1076	EQ-07E	Television Bracket	1
1077	EQ-02	Shredder Box	1
1077	IT-03	Multifunction Unit	1
1081	EQ-09A	Refrigerator, Undercounter	1
1084	EQ-09A	Refrigerator, Undercounter	1
1087	EQ-07A	Flat Screen Television	2
1087	EQ-07E	Television Bracket	2
1089	IT-03	Multifunction Unit	1
1091	EQ-16	4'-0" Whiteboard	1
1092	EQ-01E	8'-0" Whiteboard	1
1092	EQ-07A		1
1092	EQ-07D		1
1092	EQ-07F		1
1093	EQ-01E	8'-0" Whiteboard	1
1093	EQ-07A		1
1093	EQ-07D		1
1093	EQ-07F		1
1095	EQ-05	Defibrillator, Crash Cart Mount	1
1095	EQ-17B	Crash Cart	1
1095	EQ-33B	Medicine Dispensing Unit (Countertop)	1
1095	EQ-34	Overbed Table	3
1095	EQ-47	ECT Equipment with Cart	1
1095	EQ-50	Biohazard Trash	1
1095	EQ-51	Stretcher	2
1095	EQ-52	Fold-Down Charting Station	2
1095	EQ-53	Blanket Warmer (Countertop)	1
1096	EQ-01	Stretcher	5
1098	EQ-09A	Refrigerator, Undercounter	1
1101	IT-08	Multifunction Unit	1
1102	EQ-07A	Flat Screen Television	1
1102	EQ-07E	Television Bracket	1
1103	EQ-07A		1
1103	EQ-07D		1
1103	EQ-07F		1
1104	EQ-07A		1
1104	EQ-07D		1
1104	EQ-07F		1
1113	EQ-01D	6'-0" Whiteboard	1
1113	EQ-04	Coffee Maker	1
1113	EQ-08	Microwave	1
1113	EQ-09B		1
1113	EQ-54	Coat Rack	1
1123	EQ-14C	Shelving, Rack, General Stores	2
1123	EQ-15B	Dryer	1
1123	EQ-15C	Washer	1
1126	EQ-60		1
1127	EQ-14C	Shelving, Rack, General Stores	12
1128	EQ-14B	Shelving, Rack, Maintenance	6
1128	EQ-16	Workbench	1
1201	FN-01A	Bed, Platform	2
1201	FN-02A	Nightstand, Patient	2
1202	FN-01A	Bed, Platform	2
1202	FN-02A	Nightstand, Patient	2
1203	FN-01A	Bed, Platform	2
1203	FN-02A	Nightstand, Patient	2
1204	FN-01A	Bed, Platform	2
1204	FN-02A	Nightstand, Patient	2
1205	FN-01A	Bed, Platform	2
1205	FN-02A	Nightstand, Patient	2
1206	FN-01A	Bed, Platform	2
1206	FN-02A	Nightstand, Patient	2
1207	FN-01A	Bed, Platform	2
1207	FN-02A	Nightstand, Patient	2
1208	FN-01A	Bed, Platform	2
1208	FN-02A	Nightstand, Patient	2
1209	FN-01A	Bed, Platform	2
1209	FN-02A	Nightstand, Patient	2
1210	FN-01A	Bed, Platform	2
1210	FN-02A	Nightstand, Patient	2
1211	FN-01A	Bed, Platform	2
1211	FN-02A	Nightstand, Patient	2
1212	FN-01A	Bed, Platform	2
1212	FN-02A	Nightstand, Patient	2
1213	FN-01A	Bed, Platform	2
1213	FN-02A	Nightstand, Patient	2
1214	FN-01A	Bed, Platform	2
1214	FN-02A	Nightstand, Patient	2
1215	FN-01A	Bed, Platform	2

EQUIPMENT SCHEDULE - BY ROOM CONT.

Room #	Item #	Item Description	Quantity
1216	FN-02A	Nightstand, Patient	2
1216	FN-01A	Bed, Platform	2
1216	FN-02A	Nightstand, Patient	2
1217	FN-01A	Bed, Platform	2
1217	FN-02A	Nightstand, Patient	2
1218	FN-01A	Bed, Platform	2
1218	FN-02A	Nightstand, Patient	2
1219	FN-01A	Bed, Platform	2
1219	FN-02A	Nightstand, Patient	2
1220	FN-01A	Bed, Platform	2
1220	FN-02A	Nightstand, Patient	2
1221	FN-01A	Bed, Platform	2
1221	FN-02A	Nightstand, Patient	2
1222	FN-01A	Bed, Platform	2
1222	FN-02A	Nightstand, Patient	2
1223	FN-01A	Bed, Platform	2
1223	FN-02A	Nightstand, Patient	2
1224	FN-01A	Bed, Platform	2
1224	FN-02A	Nightstand, Patient	2
1236	EQ-17D	Mobile Chart Rack	1
1238	IT-01		1
1238	EQ-17D	Mobile Chart Rack	1
1238	IT-01		1
1237	EQ-08		1
1237	EQ-09B		1
1237	EQ-36		1
1237	IT-02	Timeclock, POE	1
1237	IT-03		1
1239	EQ-16	4'-0" Whiteboard	1
1238	EQ-09D		1
1238	EQ-33A		2
1239	IT-04	Security Monitor/PC	2
1239	EQ-16	4'-0" Whiteboard	1
1238	IT-03		1
1241	EQ-17E		1
1242	EQ-17C		2
1242	EQ-49		1
1244	EQ-17A		2
1246	EQ-09D		1
1246	EQ-19		1
1246	EQ-20		1
1246	EQ-21		1
1246	IT-4		1
1246	IT-07		1
1247	EQ-01E	8'-0" Whiteboard	1
1247	EQ-04	Coffee Maker	1
1247	EQ-08		1
1247	EQ-09B		1
1247	EQ-54	Coat Rack	1
1248	EQ-01E	8'-0" Whiteboard	1
1248	EQ-07A		1
1248	EQ-07D		1
1248	EQ-07F		1
1291	IT-03		1
1252	EQ-07A		1
1252	EQ-07D		1
1252	EQ-07F		1
1252	EQ-10A		1
1293	EQ-07A		1
1293	EQ-07D		1
1293	EQ-07F		1
1297	EQ-19A		2
1298	EQ-11A		1
1298	FN-01B		1
1299	F1	Curtain Track	1
1261	EQ-01E	8'-0" Whiteboard	1
1261	EQ-07A		1
1261	EQ-07D		1
1261	EQ-07F		1
1262	EQ-89	Secure Phone (Shut-off at NS)	2
1263	EQ-89	Secure Phone (Shut-off at NS)	2
1264	EQ-01E	8'-0" Whiteboard	1
1264	EQ-07A		1
1264	EQ-07D		1
1264	EQ-07F		1
1266	F1	Curtain Track	1
1267	EQ-11A		1
1267	FN-01B		1
1268	EQ-19A		2
1272	EQ-07A		1
1272	EQ-07D		1
1272	EQ-07F		1
1273	EQ-07A		1
1273	EQ-07D		1
1273	EQ-07F		1
1273	EQ-10A		1
1273	EQ-27	Trash Can, Undercounter	1
1301	FN-01A	Bed, Platform	2
1301	FN-02A	Nightstand, Patient	2
1302	FN-01A	Bed, Platform	2
1302	FN-02A	Nightstand, Patient	2
1303	FN-01A	Bed, Platform	2
1303	FN-02A	Nightstand, Patient	2
1304	FN-01A	Bed, Platform	2
1304	FN-02A	Nightstand, Patient	2
1305	FN-01A	Bed, Platform	2
1305	FN-02A	Nightstand, Patient	2
1306	FN-01A	Bed, Platform	2
1306	FN-02A	Nightstand, Patient	2
1307	FN-01A	Bed, Platform	2
1307	FN-02A	Nightstand, Patient	2
1308	FN-01A	Bed, Platform	2
1308	FN-02A	Nightstand, Patient	2
1309	FN-01A	Bed, Platform	2
1309	FN-02A	Nightstand, Patient	2
1310	FN-01A	Bed, Platform	2
1310	FN-02A	Nightstand, Patient	2
1311	FN-01A	Bed, Platform	2

EQUIPMENT SCHEDULE - BY ROOM CONT.

Room #	Item #	Item Description	Quantity
1311	FN-02A	Nightstand, Patient	2
1312	FN-01A	Bed, Platform	2
1312	FN-02A	Nightstand, Patient	2
1313	FN-01A	Bed, Platform	2
1313	FN-02A	Nightstand, Patient	2
1314	FN-01A	Bed, Platform	2
1314	FN-02A	Nightstand, Patient	2
1315	FN-01A	Bed, Platform	2
1315	FN-02A	Nightstand, Patient	2
1316	FN-01A	Bed, Platform	2
1316	FN-02A	Nightstand, Patient	2
1317	FN-01A	Bed, Platform	2
1317	FN-02A	Nightstand, Patient	2
1318	FN-01A	Bed, Platform	2
1318	FN-02A	Nightstand, Patient	2
1319	FN-01A	Bed, Platform	2
1319	FN-02A	Nightstand, Patient	2
1320	FN-01A	Bed, Platform	2
1320	FN-02A	Nightstand, Patient	2
1321	FN-01A	Bed, Platform	2
1321	FN-02A	Nightstand, Patient	2
1322	FN-01A	Bed, Platform	2
1322	FN-02A	Nightstand, Patient	2
1323	FN-01A	Bed, Platform	2
1323	FN-02A	Nightstand, Patient	2
1324	FN-01A	Bed, Platform	2
1324	FN-02A	Nightstand, Patient	2
1335	EQ-17D	Mobile Chart Rack	1
1335	IT-01		1
1336	EQ-17D	Mobile Chart Rack	1
1336	IT-01		1
1337	EQ-08		1
1337	EQ-09B		1
1337	EQ-36		1
1337	IT-02	Timeclock, POE	1
1337	IT-03		1
1336	EQ-16	4'-0" Whiteboard	1
1336	EQ-09D		1
1336	EQ-33A		2
1336	IT-04	Security Monitor/PC	2
1339	EQ-16	4'-0" Whiteboard	1
1339	IT-03		1
1341	EQ-17E		1
1342	EQ-17C		2
1342	EQ-49		1
1344	EQ-17A		2
1346	EQ-09D		1
1346	EQ-19		1
1346	EQ-20		1
1346	EQ-21		1
1346	IT-4		1
1346	IT-07		1
1347	EQ-01E	8'-0" Whiteboard	1
1347	EQ-04	Coffee Maker	1
1347	EQ-08		1
1347	EQ-09B		1
1347	EQ-54	Coat Rack	1
1348	EQ-01E	8'-0" Whiteboard	1
1348	EQ-07A		1
1348	EQ-07D		1
1348	EQ-07F		1
1352	EQ-07A		1
1352	EQ-07D		1
1352	EQ-07F		1
1352	EQ-10A		1
1353	EQ-07A		1
1353	EQ-07D		1
1353	EQ-07F		1
1357	EQ-19A		2
1358	EQ-11A		1
1358	FN-01B		1
1359	F1	Curtain Track	1
1361	EQ-01E	8'-0" Whiteboard	1
1361	EQ-07A		1
1361	EQ-07D		1
1361	EQ-07F		1
1363	EQ-89	Secure Phone (Shut-off at NS)	2
1365	EQ-89	Secure Phone (Shut-off at NS)	2
1364	EQ-01E	8'-0" Whiteboard	1
1364	EQ-07A		1
1364	EQ-07D		1
1364	EQ-07F		1
1366	F1	Curtain Track	1
1367	EQ-11A		1
1367	FN-01B		1
1369	EQ-15A		2
1372	EQ-07A		1
1372	EQ-07D		1
1372	EQ-07F		1
1373	EQ-07A		1
1373	EQ-07D		1
1373	EQ-07F		1
1373	EQ-10A		1
1375	EQ-27	Trash Can, Undercounter	1
1801	EQ-01C	8'-0" Whiteboard	2
1801	IT-08	Multifunction Unit	1
C-101	EQ-61	Magnetic Detector	1
C-101	EQ-60	Magnetic Detector Base	1
C-102	EQ-11E	Mirror, Half-Dome	1
C-103	EQ-11E	Mirror, Half-Dome	1
C-127	EQ-11E	Mirror, Half-Dome	1

GENERAL NOTES

1. CONTRACTOR SHALL VERIFY FINAL CONFIGURATION OF ALL EQUIPMENT, INCLUDING CONTRACTOR FURNISHED CIVIL, STRUCTURAL, ARCHITECTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL ITEMS ASSOCIATED WITH EQUIPMENT, WITH OWNER AND ARCHITECT PRIOR TO COMMENCEMENT OF CONSTRUCTION.
2. ALL DIMENSIONS ARE FROM FINISH FACE OF WALL TO FINISH FACE OF WALL UNLESS OTHERWISE NOTED.
3. SEALANT TYPICAL AT ALL JOINTS OF ALL ASSEMBLIES.
4. ANY STOREFRONT SYSTEM WIDER THAN 6'-0" TO RECEIVE DEFLECTION TRACK AT HEAD.

SCHEDULE/DETAIL KEYNOTES

STENGEL HILL ARCHITECTURE
615 WEST MAIN STREET
LOUISVILLE, KENTUCKY 40202
502.893.1878
502.893.1879 fax

Civil Engineering
CRUNK ENGINEERING
Structural Engineering
SKYHOOK STRUCTURAL ENGINEERS, P.S.C.
Mechanical/Electrical Engineering
CMTA
Interior Design

ACADIA HEALTHCARE

50% CD SET - NOT FOR CONSTRUCTION

EQUIPMENT SCHEDULE
NEW BEHAVIORAL HEALTH HOSPITAL
HEALTHCARE COMPANY, INC.
COUNCIL BLUFFS, IOWA

07 Sept 2023
AHC2246

A10.6