

Attachment D





4 ENLARGED SOUTH ELEVATION C
3/16" = 1'-0"

3 ENLARGED EAST ELEVATION B
3/16" = 1'-0"



2 ENLARGED SOUTH ELEVATION D
3/16" = 1'-0"

KEYNOTES

072010	POLYMER-BASED EXTERIOR INSULATION AND FINISH SYSTEM
076031	PREFINISHED METAL COPING SYSTEM
084001	ALUMINUM STOREFRONT
084002	ALUMINUM STOREFRONT DOOR
085008	VINYL WINDOW
089001	PREFINISHED FIXED ALUMINUM LOUVER (RE MECHANICAL)
265003	SURFACE-MOUNTED LIGHT FIXTURE



1 ENLARGED EAST ELEVATION A
3/16" = 1'-0"

LEGEND

PATTERN	DESCRIPTION
	GLAZING G1 STOREFRONT/WINDOW ALUMINUM FRAME COLOR: DARK BRONZE ANOD.
	G2 1" CLEAR INSULATED LOW-E POST APPLIED VINYL COLOR: WHITE FLAT
	PREFINISHED METAL COPING & SCUPPER COLOR: PAINT TO MATCH DARK BRONZE WHEN SHEET METAL IS NEEDED: SW 7020 BLACK FOX PPG 1007-7 BARK
	EIFS WALL PANEL EF01 COLOR: ECHO 01 1030 ST DRYVIT #103 NATURAL WHITE TEXTURE: SANDBLAST PAINT FOR DOORS, TRIMS, ADJACENT SURFACES: SW 6071 POPULAR GRAY PPG 1025-3 WHISKERS
	EF02 COLOR: ECHO 02 1030 S SW 7674 PEPPERCORN TEXTURE: SANDBLAST PAINT FOR DOORS, TRIMS, ADJACENT SURFACES: SW 7674 PEPPERCORN PPG 0996-7 SUMMER SHADOW
	EF03 COLOR: ECHO 03 1030 S SW 6469 JADITE TEXTURE: SANDBLAST PAINT FOR DOORS, TRIMS, ADJACENT SURFACES: SW 6469 JADITE PPG 1136-5 SHEFFIELD
	EF04 COLOR: ECHO 05 1030 ST DRYVIT #0 10 KINGS GRAY TEXTURE: SANDBLAST PAINT FOR DOORS, TRIMS, ADJACENT SURFACES: SW 7019 DOVETAIL PPG 1027-5 LAZY AFTERNOON
	BASIS OF DESIGN SYSTEM: DRYVIT "QUTSULATION PLUS MD" EIFS WITH MOISTURE DRAINAGE POINT OF CONTACT: BOB DAZEL, DRYVIT SYSTEMS BDAZEL@STREVCONE.COM / 734-790-6765 NOTE: PROVIDE "STRATOTONE" HIGH PERFORMANCE COLORANT FOR ALL COLORS/TEXTURES
	GRILLE COVER FOR PTACS AND LOUVERS DARK BRONZE
	POTENTIAL SIGNAGE LOCATION
	OPTIONAL PRE-MANUFACTURED CANOPY, TBD BY OWNER
	OPTIONAL SIGNAGE LOCATIONS, OWNER/AOR TO COORDINATE WITH SIGNAGE VENDOR
	MASONRY M501 MANUF: CLOUD CERAMICS COLOR: DOVE GREY SIZE: THIN BRICK VENEER 2 3/4" NORMAN PATTERN: HALF RUNNING BOND
	M502 MANUF: CLOUD CERAMICS COLOR: ASH GREY SIZE: THIN BRICK VENEER 2 3/4" NORMAN PATTERN: HALF RUNNING BOND
	MORTAR MORTAR: LATICRETE MVB POINTING MORTAR COLOR: 17 MARBLE BEIGE
	CONTACT BRAE BARTON BRAE@BLACKSONBRICK.COM 817-874-3194

GENERAL NOTES

1. RE: SHEET G002 FOR ADDITIONAL GENERAL NOTES THAT ARE APPLICABLE.
2. CONTRACTOR TO VERIFY LOCATION OF SIGN WITH OWNER AND PROVIDE BLOCKING AND ELECTRICAL AS REQUIRED.
3. DIMENSIONS SHOWN ON THE EXTERIOR ELEVATIONS ARE TO THE FACE OF EXTERIOR WALL, FACE OF MASONRY (FOM), FACE OF CONCRETE WALLS (FOC), AND/OR LOWN GRID LINE, UNLESS OTHERWISE NOTED OR INDICATED.
4. RE: THE WINDOW TYPES SHEET FOR ALL EXTERIOR WINDOW TYPES AND GLASS TYPES.
5. EXTERIOR DOORS TO MATCH ADJACENT FINISH COLOR.
6. INSTALL EXPANSION JOINTS AT INTERIOR CORNERS AND FLOOR LINES.
7. CONTRACTOR TO PROVIDE SAMPLE OF EXTERIOR WALL FINISH AND COLOR TO ARCHITECT AND WYNDHAM FOR APPROVAL PRIOR TO FINISHING.
8. REINFORCE ALL EIFS BELOW 8'-0" AFF WITH DRYVIT PANZER MESH IN ADDITION TO STANDARD PLUS MESH.
9. ALL EIFS JOINT LINES ARE AESTHETIC TYPE JOINTS U.N.O.
10. ALL CONDENSATE LINES THAT DAYLIGHT TO BE PAINTED TO MATCH ADJACENT BUILDING COLOR.
11. EXTERIOR LOUVERS EXCEPT FOR P-TAC LOUVERS ARE TO MATCH ADJACENT FINISH COLOR, BOD (RUSHIN ELD75WELF35)H
12. WHERE EIFS THICKNESS VARIES, PROVIDE 45 DEGREE BEND ROOF DRAIN LEADER LINES.
13. EXTERNAL ROOF DRAINS SHALL BE INSTALLED AS CLOSE TO THE BUILDING STRUCTURE AS FEASIBLE TO MINIMIZE GAPS.
14. PROVIDE MFR APPROVED PAINT TO PAINT EXTERIOR EXPOSED PTAC SLEEVES TO MATCH COLOR OF ADJACENT GRILLE.

WYNDHAM HOTELS & RESORTS

PROTOTYPE V2.0 DRAWINGS

ECHO SUITES
1234 Street
Council Bluffs, IA

PRELIMINARY

PROFESSIONAL SEAL


A2.02

ISSUE DATE: 4/2/25

EXTERIOR ELEVATIONS




6 ENLARGED WEST ELEVATION B
3/16" = 1'-0"



ENLARGED 5 NORTH ELEVATION F
3/16" = 1'-0"

ENLARGED 4 NORTH ELEVATION E
3/16" = 1'-0"



ENLARGED 3 NORTH ELEVATION D
3/16" = 1'-0"



ENLARGED 2 NORTH ELEVATION C
3/16" = 1'-0"



1 ENLARGED WEST ELEVATION A
3/16" = 1'-0"

GENERAL NOTES

1. REF SHEET G0.02 FOR ADDITIONAL GENERAL NOTES THAT ARE APPLICABLE.
2. CONTRACTOR TO VERIFY LOCATION OF SIGN WITH OWNER AND PROVIDE BLOCKING AND ELECTRICAL AS REQUIRED.
3. DIMENSIONS SHOWN ON THE EXTERIOR ELEVATIONS ARE TO THE FACE OF EXTERIOR WALL, FACE OF MASONRY (FOM), FACE OF CONCRETE WALLS (FOC), AND COLUMN GRID LINE, UNLESS OTHERWISE NOTED OR INDICATED.
4. REF THE WINDOW TYPES SHEET FOR ALL EXTERIOR WINDOW TYPES AND GLASS TYPES.
5. EXTERIOR DOORS TO MATCH ADJACENT FINISH COLOR.
6. INSTALL EXPANSION JOINTS AT INTERIOR CORNERS AND FLOOR LINES.
7. CONTRACTOR TO PROVIDE SAMPLE OF EXTERIOR WALL FINISH AND COLOR TO ARCHITECT AND WYNDHAM FOR APPROVAL PRIOR TO FINISHING.
8. REINFORCE ALL EIFS BELOW 8'-6" AFF WITH DRYVIT PANZER MESH IN ADDITION TO STANDARD PLUS MESH.
9. ALL EIFS JOINT LINES ARE AESTHETIC TYPE JOINTS U.N.O.
10. ALL CONDENSATE LINES THAT DAYLIGHT TO BE PAINTED TO MATCH ADJACENT BUILDING COLOR.
11. EXTERIOR LOUVERS EXCEPT FOR P-TAC LOUVERS ARE TO MATCH ADJACENT FINISH COLOR. BOD : RUSKIN ELF375X/ELF375XH
12. WHERE EIFS THICKNESS VARIES, PROVIDE 45 DEGREE BEND ROOF DRAIN LEADER LINES. EXTERNAL ROOF DRAINS SHALL BE INSTALLED AS CLOSE TO THE BUILDING STRUCTURE AS FEASIBLE TO MINIMIZE GAPS.
13. PROVIDE MFR APPROVED PAINT TO PAINT EXTERIOR EXPOSED PTAC SLEEVES TO MATCH COLOR OF ADJACENT GRILLE.

LEGEND

PATTERN	DESCRIPTION
	GLAZING G1 STOREFRONT/WINDOW ALUMINUM FRAME COLOR:DARK BRONZE ANOD.
	G2 1" CLEAR INSULATED LOW-E POST APPLIED VINYL COLOR:WHITE FLAT
	PREFINISHED METAL COPING & SCUPPER COLOR:PAINT TO MATCH DARK BRONZE WHEN SHEET METAL IS NEEDED: SW 7020 BLACK FOX PPG 1007-7 BARK
	EIFS WALL PANEL EF01 COLOR:ECHO 01 1030 ST DRYVIT #163 NATURAL WHITE TEXTURE: SANDBLAST PAINT FOR DOORS, TRIMS, ADJACENT SURFACES: SW 6071 POPULAR GRAY PPG 1025-3 WHISKERS
	EF02 COLOR:ECHO 02 1030 S SW 7674 PEPPERCORN TEXTURE: SANDBLAST PAINT FOR DOORS, TRIMS, ADJACENT SURFACES: SW; 7674 PEPPERCORN PPG 0996-7 SUMMER SHADOW
	EF03 COLOR:ECHO 03 1030 S SW 6459 JADITE TEXTURE: SANDBLAST PAINT FOR DOORS, TRIMS, ADJACENT SURFACES: SW 6459 JADITE PPG 1136-5 SHEFFIELD
	EF04 COLOR:ECHO 05 1030 ST DRYVIT #616 KRYPTON GRAY TEXTURE: SANDBLAST PAINT FOR DOORS, TRIMS, ADJACENT SURFACES: SW 7016 DOVETAIL PPG 1007-6 LAZY AFTERNOON

BASIS OF DESIGN SYSTEM:
DRYVIT QUTISULATION PLUS MD* EIFS WITH MOISTURE DRAINAGE

POINT OF CONTACT:
BOB DAZEL, DRYVIT SYSTEMS
BDAZEL@TREMCONC.COM / 734-796-6765

NOTE:
PROVIDE "STRATOTONE" HIGH PERFORMANCE COLORANT FOR ALL COLORS/TEXTURES

	GRILLE COVER FOR PTACS AND LOUVERS DARK BRONZE
	POTENTIAL SIGNAGE LOCATION
	OPTIONAL PRE-MANUFACTURED CANOPY. TBD BY OWNER
	OPTIONAL SIGNAGE LOCATIONS, OWNER/AOR TO COORDINATE WITH SIGNAGE VENDOR
	MASONRY MS01 MANUF: CLOUD CERAMICS COLOR: DOVE GREY SIZE: THIN BRICK VENEER 2 1/4" NORMAN PATTERN: HALF RUNNING BOND
	MS02 MANUF: CLOUD CERAMICS COLOR: ASH GREY SIZE: THIN BRICK VENEER 2 1/4" NORMAN PATTERN: HALF RUNNING BOND
	MORTAR MORTAR: LATICRETE MMS POINTING MORTAR COLOR: TUSCAN BEIGE
	CONTACT BRAE BARTON BRAE@BLACKSONBRICK.COM 817-874-3194

KEYNOTES

0760.07	HOT-DIPPED GALVANIZED METAL OVER/FLOW SCUPPER WITH PREFINISHED METAL FACING
0760.36	HOT-DIPPED GALVANIZED METAL SCUPPER, CONDUCTOR HEAD AND DOWNSPOUT WITH PREFINISHED METAL FACING
0860.01	PREFINISHED FIXED ALUMINUM LOUVER (REF MECHANICAL)

KEYNOTES

0860.05	CLOTHES DRYER VENT WITH FLAP
2650.03	SURFACE-MOUNTED LIGHT FIXTURE

WYNDHAM HOTELS & RESORTS

PROTOTYPE V2.0 DRAWINGS

ECHO SUITES
1234 Street
Council Bluffs, IA


PRELIMINARY

PROFESSIONAL SEAL

A2.03

ISSUE DATE: 4/2/25

EXTERIOR ELEVATIONS



3 ENLARGED NORTH ELEVATION G
3/16" = 1'-0"


GENERAL NOTES

1. REI SHEET G0.00 FOR ADDITIONAL GENERAL NOTES THAT ARE APPLICABLE.
2. CONTRACTOR TO VERIFY LOCATION OF SIGN WITH OWNER AND PROVIDE BLOCKING AND ELECTRICAL AS REQUIRED.
3. DIMENSIONS SHOWN ON THE EXTERIOR ELEVATIONS ARE TO THE FACE OF EXTERIOR WALL, FACE OF MASONRY (FOM), FACE OF CONCRETE WALLS (FOC), AND COLUMN GRID LINE, UNLESS OTHERWISE NOTED OR INDICATED.
4. REI THE WINDOW TYPES SHEET FOR ALL EXTERIOR WINDOW TYPES AND GLASS TYPES.
5. EXTERIOR DOORS TO MATCH ADJACENT FINISH COLOR.
6. INST ALL EXPANSION JOINTS AT INTERIOR CORNERS AND FLOOR LINES.
7. CONTRACTOR TO PROVIDE SAMPLE OF EXTERIOR WALL FINISH AND COLOR TO ARCHITECT AND WYNDHAM FOR APPROVAL PRIOR TO FINISHING.
8. REINFORCE ALL EIFS BELOW 8'-0" AFF WITH DRYVIT PANZER MESHIN ADDITION TO STANDARD PLUS MESH.
9. ALL EIFS JOINT LINES ARE AESTHETIC TYPE JOINTS U.N.O.
10. ALL CONDENSATE LINES THAT DAYLIGHT TO BE PAINTED TO MATCH ADJACENT BUILDING COLOR.
11. EXTERIOR LOUVERS EXCEPT FOR P-TAC LOUVERS ARE TO MATCH ADJACENT FINISH COLOR. BOD : RUSKIN ELF375X/ELF375SH
12. WHERE EIFS THICKNESS VARIES, PROVIDE 45 DEGREE BEND ROOF DRAIN LEADER LINES. EXTERNAL ROOF DRAINS SHALL BE INSTALLED AS CLOSE TO THE BUILDING STRUCTURE AS FEASIBLE TO MINIMIZE GAPS.
13. PROVIDE MFR APPROVED PAINT TO PAINT EXTERIOR EXPOSED PTAC SLEEVES TO MATCH COLOR OF ADJACENT GRILLE.


KEYNOTES

LEGEND

PATTERN	DESCRIPTION
	GLAZING G1 STOREFRONT WINDOW ALUMINUM FRAME COLOR: DARK BRONZE ANOD.
	G2 1" CLEAR INSULATED LOW-E POST APPLIED VINYL COLOR: WHITE FLAT
	PREFINISHED METAL COPING & SCUPPER COLOR: PAINT TO MATCH DARK BRONZE WHEN SHEET METALIS NEEDED: SW 7020 BLACK FOX PPG 1007-7 BARK
	EIFS WALL PANEL EF01 COLOR: ECHO 01 1030 ST DRYVIT #103 NATURAL WHITE TEXTURE: SANDBLAST PAINT FOR DOORS, TRIMS, ADJACENT SURFACES: SW 6071 POPULAR GRAY PPG 1025-3 WHISKERS
	EF02 COLOR: ECHO 02 1030 S SW 7674 PEPPERCORN TEXTURE: SANDBLAST PAINT FOR DOORS, TRIMS, ADJACENT SURFACES: SW 7674 PEPPERCORN PPG 0998-7 SUMMER SHADOW
	EF03 COLOR: ECHO 03 1030 S SW 6458 ACRE TEXTURE: SANDBLAST PAINT FOR DOORS, TRIMS, ADJACENT SURFACES: SW 6458 ACRE PPG 1139-5 SHEFFIELD
	EF04 COLOR: ECHO 05 1030 ST DRYVIT #516 KING'S GRAY TEXTURE: SANDBLAST PAINT FOR DOORS, TRIMS, ADJACENT SURFACES: SW 7016 DOVETAIL PPG 1007-5 LAZY AFTERNOON
	BASIS OF DESIGN SYSTEM: DRYVIT "OUTSULATION PLUS MD" EIFS WITH MOISTURE DRAINAGE POINT OF CONTACT: BOB DAZEL, DRYVIT SYSTEMS BDAZEL@TREMCOINC.COM / 734-780-6765 NOTE: PROVIDE "STRATOTONE" HIGH PERFORMANCE COLORANT FOR ALL COLORS/TEXTURES
	GRILLE COVER FOR PTACS AND LOUVERS DARK BRONZE
	POTENTIAL SIGNAGE LOCATION
	OPTIONAL PRE-MANUFACTURED CANOPY, TBD BY OWNER
	OPTIONAL SIGNAGE LOCATIONS - OWNER/AOR TO COORDINATE WITH SIGNAGE VENDOR
	MASONRY M501 MANUF: CLOUD CERAMICS COLOR: DOVE GREY SIZE: THIN BRICK VENEER 2 1/4" NORMAN PATTERN: HALF RUNNING BOND
	M502 MANUF: CLOUD CERAMICS COLOR: ASH GREY SIZE: THIN BRICK VENEER 2 1/4" NORMAN PATTERN: HALF RUNNING BOND
	MORTAR MORTAR: LATICRETE MVIS POINTING MORTAR COLOR: 17 MARBLE BEIGE
	CONTACT BRAE BARTON BRAE@BLACKSONBRICK.COM 817-874-3184



2 ENLARGED SOUTH ELEVATION
3/16" = 1'-0"



1 ENLARGED NORTH ELEVATION
3/16" = 1'-0"

PROTOTYPE V2.0 DRAWINGS

ECHO SUITES

1234 Street
Council Bluffs, IA

PRELIMINARY

PROFESSIONAL SEAL

A2.04

ISSUE DATE: 4/2/25

EXTERIOR ELEVATIONS